



BRIDON NEW ZEALAND

HARDWARE CATALOGUE

Auckland 📍
PO Box 3817, Auckland
77B Patiki Rd, Avondale
Tel: (09) 820 8600
Fax: (09) 820 6606
Email: salesauck@bridon.co.nz

Christchurch
PO Box 19624, Christchurch
14 Lock Crescent,
Hillsborough
Tel: (03) 384 4069
Fax: (03) 384 2642
Email: saleschch@bridon.co.nz





DP High Performance (HP) Battens and Ends

Taper	Length
HP 1 Untapered coil	20 metre
HP 1 (Blue Streak Equiv. HEX1)	610mm 900mm 1100mm
Batten Ends	
HP 2	650mm 900mm 1100mm 1500mm
Untapered coil Batten Ends	20 metre
HP 3 (Blue Streak Equiv. WR2)	900mm 1200mm 1500mm 1800mm 2500mm
Untapered coil Batten Ends	20 metre
HP 4 (Blue Streak Equiv. WR3)	900mm 1200mm 1500mm 1800mm 2200mm 2800mm 3500mm
Untapered coil Batten Ends	20 metre
HP 5 (Blue Streak Equiv. OR2)	1500mm 2000mm 2500mm 3000mm 3500mm
Untapered coil Batten Ends	20 metre

Taper	Length
HP 5.2 (Blue Streak Equiv. OR3)	20 metre
Untapered coil Batten Ends	
HP 5.9 (Blue Streak Equiv. OR5)	20 metre
Untapered coil Batten Ends	
HP 7 40% stiffer than Blue Streak Amazon	
Untapered coil	20 metre
Untapered Polyurethane Battens	
HP1	10mm x 3mm x 4m
HP2	12mm x 4mm x 4m
HP3	14mm x 5mm x 4m
HP4	16mm x 6mm x 6m
HP5	20mm x 8mm x 6m
HP5.7	25mm x 9mm x 20m
HP5.9	6m 20m
HP6	30mm x 10mm x 6m
HP6	30mm x 10mm x 20m



DP High Performance (HP) Battens and Ends

Batten Ends	Price
HP 1 END	
HP 2 END	
HP 3 END	
HP 4 END	
HP 4.5 END	
HP 5 END	
HP 5.2 END	
HP 5.7 END	
HP 5.9 END	



HP 1 End



HP 2 End



HP 3 End



HP 4 End



HP 4.5 End



HP 5 End



HP 5.2 End



HP 5.7 End



HP 5.9 End

Rod Battens

Note: All Rod Battens use " Polyurethane " resin. Standard length is 6M but other lengths available on request.

Rod Batten	Length	Rod Batten	Length
3mm	6m	14mm	6m
4mm	6m	16mm	6m
5mm	6m	19mm	6m
6mm	6m	22mm	6m
8mm	6m	25mm	6m
10mm	6m	32mm	6m
12mm	6m	38mm	6m



Batten Protectors and Pockets

Product
Batten End Protectors Nu-Form Batten End Protectors - Small
Nu-Form Batten End Protectors - Large
Batten End Protectors - Large Batten End Protectors - Extra Large



Nu-Form small



Nu-Form Large



Gourock Extra Large

Product
Batten Box Small - M10 Batten Box Medium - M10 Batten Box Msall - M10 and M12



Product
Batten Box Adjustable - M10



Product
Batten Cams 120mm long x 45mm wide





Headboards

Headboards - Black Anodised		
4"	102mm x 130mm	1.5mm gauge
4.5"	114mm x 143mm	1.5mm gauge
4.5"	114mm x 143mm	2.5mm gauge
6"	155mm x 195mm	2.5mm gauge

Headboard Liners	
23mm Headboard Dumps	
23mm Clewboard Dumps	
Dump Die Set	\$P.O.A




4"



4.5"

Headboard Dump



6"

Clewboards

Clewboards - Black Anodised	
Small	105mm x 26mm - 1.5mm gauge
Medium	150mm x 38mm - 1.5mm gauge
Large	200mm x 50mm - 2.5mm gauge





Sewing Thread - ANEFIL Polyester Thread EX USA

IMPROVED QUALITY

T35 White
T46 White
T69 White
T92 White
T138 White
T207 White
<i>Colours available as a special order.</i>



Waxed Braid and Needles

Barbour Flat Waxed Braid		
1/16"	Natural	1000m
W.M. Smith Hand Sewing Needles		
Size 13	pkt of 25	
Size 14	pkt of 25	
Size 15	pkt of 25	
Size 16	pkt of 25	



Spur Tooth Grommets

Stimpson Nickel Plated	
Size	Per/ctn
0	144
1	144
2	144
3	144
4	144
5	144
6	144
7	144



German Made

Hole Punches
Size
3mm
5mm
7mm
10mm
12mm
14mm
16mm
18mm
25mm



Slides and Shackles

Stainless Steel Slides
7/8" (22mm) Internal
D-Screw Shackle White + Black
Slugs + Slides Nylon Black or White
3/8"
1/2"
5/8"
7/8"
Snap Shackles
5/8"
7/8"



Stainless Steel Slides



Snap Shackle

Stainless Steel Rings and D-Rings

Stainless Steel O-Rings	
19mm x 5mm	3/4" x 3/16"
25mm x 5mm	1" x 3/16"
25mm x 6mm	1" x 1/4"
30mm x 5mm	1 1/4" x 3/16"
30mm x 6mm	1 1/4" x 1/4"
38mm x 6mm	1 1/2" x 1/4"
38mm x 8mm	1 1/2" x 5/16"
50mm x 8mm	2" x 5/16"
65mm x 10mm	2 1/2" x 3/8"
65mm x 12mm	2 1/2" x 1/2"

Stainless Steel O-Ring with Bar	
30mm x 6mm	
38mm x 6mm	1 1/2" x 1/4"
38mm x 8mm	
50mm x 8mm	2" x 5/16"
65mm x 10mm	2 1/2" x 3/8"
65mm x 12mm	2 1/2" x 1/2"

Stainless Steel D-Rings	
25mm x 5mm	1" x 3/16"
50mm x 6mm	2" x 1/4"
50mm x 8mm	2" x 5/16"





Press Rings and Diesets

ALLOY A RINGS (Alloy ring with nylon washer and stainless liner).	
Parts	Size
ONE SET CONSISTS OF 1 X LINER, 2 X ALLOY RINGS, 2 X NYLON WASHERS	
Liner Only (straight)	23mm x1
Alloy Ring Only	23mm x 2
Washer	23mm x 2
Liner Only	32mm x 1
Alloy Ring Only	32mm x 2
Washer	32mm x 2
Liner Only	38mm x 1
Alloy Ring Only	38mm x 2
Washer	38mm x 2

GNZ PRESS RINGS (Nickel plated brass rings with stainless steel liner)	
Parts	Size
ONE SET CONSISTS OF 1 X LINER + 2 X RINGS	
Liner Only	23mm x1
Ring Only	23mm x 2
Liner Only	32mm x 1
Ring Only	32mm x 2
Liner Only	38mm x 1
Ring Only	38mm x 2
Liner Only	44mm x 1
Ring Only	44mm x 2


DIESETS (Hardened diesets for above press rings)	
Parts	Size
Dieset	All




Endeavour Press Rings

Size	Box Size	Price Each
10mm	100	
12mm	100	
14mm	50	
17mm	50	
20mm	50	
25mm	50	
30mm	50	
35mm	25	
40mm	25	
55mm	15	

Wire Support Thimbles	
20mm	50
35mm	25
45mm	25



Toothed Ring
Fabric
Plastic Washer
Ring attachment with
thimble





Size	Box Size	Inside Diameter	Hole Punch Size	Die Press Force	Patch Weight
10mm	100	10mm	11mm	by hand	25-35oz
12mm	100	12mm	14mm	3-5 ton/by hand	25-35oz
14mm	50	14mm	16mm	3-5 ton/by hand	25-40oz
17mm	50	17mm	19mm	7 ton	35-60oz
20mm	50	20mm	22mm	11-13 ton	40-70oz
25mm	50	25mm	29mm	15 ton	50-70oz
30mm	50	30mm	32mm	20 ton	70-90oz
35mm	25	35mm	38mm	22 ton	70-90oz
45mm	25	45mm	48mm	25 ton	80-100oz




Insignia Cloth

<p>Hi-Tack Premium Adhesive Insignia Cloth - 54" (137cm) wide - 45.72m roll</p> <p>White, Red, Black, Blue and Aramid</p> <p>Captain Insignia Cloth - 54" (137cm) wide - 45.72m rolls</p>



Slit Insignia Cloth - 45.72m rolls


<p>1" White Black, Grey, Red and Blue</p> <p>2" White Black, Grey, Red and Blue</p> <p>3" White Black, Grey and Blue</p> <p>4" White Black, Grey and Blue</p>



White, Black and Blue is
Hi-Tack Premium Adhesive
Quality

Speedstripe - 45.72m rolls

<p>1/2" (12mm) Black, Blue and Red</p> <p>3/4" (19mm) White, Black, Blue and Red</p> <p>1" (25mm) White, Black, Blue and Red</p>
--



White, Black, Red
and Blue is
Hi-Tack Premium Adhesive
Quality


UV Leech Material

	Width
150UV - White, Blue, Red and Grey	60"
170 PSA 4.0oz	39"

150 UV



310 PSA





Dacron, Hydranet and Spinnaker Tapes

Dacron - White
4oz x 1"
4oz x 1.5"
4oz x 2"
4oz x 2.5"
4oz x 3"
5.6oz x 2"
5.6oz x 2.5"
5.6oz x 3"
5.6oz x 4"
5.6oz x 5"
5.6oz x 6"
7oz x 2"
7oz x 2.5"
7oz x 3"
7oz x 4"
7oz x 5"
7oz x 6"
7oz x 8"
8oz x 3"
8oz x 4"
8oz x 5"
8oz x 6"
8oz x 8"
8oz x 10"

Spinnaker Tapes - Dacron Colours - Red, Green, Blue
4oz x 1"
4oz x 2"
4oz x 3"

Hydranet
4.7oz x 2"
4.7oz x 2.5"
4.7oz x 3"
6.3oz x 3"
6.3oz x 4"
6.3oz x 5"





Seamstick, Double Sided Tape and Masking Tape

	Length	Rolls/ctn
Kikusui Seamstick		
6mm	50m	192
9mm	50m	128
12mm	50m	96
15mm	50m	72
18mm	50m	64
24mm	50m	48
Captain Seamstick		
10mm	50m	180
12mm	50m	150
15mm	50m	120
20mm	50m	90
24mm	50m	72
48mm	50m	36
Dacron Seamstick - Black, White		
12mm	50m	



Superstick Seamstick - No Sew		
6mm	33m	128
12mm	33m	96

Radial Reinforcement PSA Tapes


Product
<i>Sold in Rolls Only - 200m rolls average</i>
DP Kevlar - AT05 25mm PSA 1 Strand
DP Kevlar - AT10 25mm PSA 1 Strand
DP Kevlar - AT15 25mm PSA 1 Strand
DP Carbon - GT14 25mm PSA 1 Strand
DP Carbon - GT21 25mm PSA 1 Strand



Pentex PE13 50mm
6 Strand



Pentex PE20 25mm
1 Strand



Kevlar AT13 50mm
6 Strand



Kevlar AT10 25mm
1 Strand



Carbon GT13 50mm
4 Strand



Carbon GT14 25mm
1 Strand



Velcro - Hoop and Loop

Hook and Loop	25 metre rolls
Hook - White and Black	20mm
Loop - White and Black	20mm
Hook - White and Black	25mm
Loop - White and Black	25mm
Hook - White and Black	50mm
Loop - White and Black	50mm




Headfoil

Product	
RF316	Single
60532	#5 Lufftape - Twin
70316	#6 Lufftape - Twin
70732	#7 Lufftape - Twin



Anti Torque Rope

Anti Torque Rope - Vectran Core
Anti Torque Rope 8mm
Anti Torque Rope 8mm
Anti Torque Rope 8mm






Leech Line, and Shockcord

CJ Series	
Leech Line - Polyester	Length
2mm	100metres
3mm	100metres
4mm	100metres
4.5mm	100metres
5mm	100metres
Vectran Premer	
4mm	100metres
6mm	100metres
8mm	100metres
10mm	100metres

Shock Cord - Black	Length
4mm	100metres
5mm	100metres
6mm	100metres
7mm	100metres
8mm	100metres
10mm	100metres




Leechline



Shock Cord



Vectran



VB Cord

Cleats and Jib Hanks

Leech Cleats	
No 1 Small	Leech Line Cleat (2 hole)
No 2 Medium	Leech Line Cleat (3 hole)
No 3 Large	Leech Line Cleat (4 hole)

Leech Cleats	
CL212	Plastic complete w/backing plate
CL241	Alloy complete w/backing plate
CL24A	Alloy complete w/backing plate

Jib Piston Hanks - Herm Sprenger		
Box Size		
0	40mm	50
1	50mm	50
2	60mm	25
3	70mm	25
4	80mm	20



CL241



No.3 large



Hank



Webbing

Polyester Medium - GRK012 White/Black	
19mm	50 metre
25mm	50 metre
38mm	50 metre
50mm	50 metre
Polyester Heavy - GRK042 White/Black	
19mm	50 metre
25mm	50 metre
38mm	50 metre
50mm	50 metre

Dyneema / Spectra	
20mm x 1.2mm	Medium
25mm x 1.2mm	Medium
50mm x 1.2mm	Medium
25mm x 1.7mm	Heavy
38mm x 1.7mm	Heavy
50mm x 1.7mm	Heavy






PNP Fittings

Part No	Description	Price each
PNPA 13A	Snap Hook Large	POA
PNPA 13B	Snap hook small	POA
PNP 14	Jib hank 3mm	POA
PNP 14A	Jib hank 4.5mm	POA
PNP 14B	Jib hank 5.5mm	POA
PNP 14C	Jib hank 8mm	POA
PNP 16	Flag clip	POA
PNP 24B	Fairlead 9.5mm	POA
PNP 25A	Leech line cleat	POA
PNP 27T	Sail slide 15.8mm	POA
PNPA 28T	Sail Slide 22mm	POA
PNPA 33	Deck Eye	
PNPA 34T	Sail Slug 10mm	
PNPA 45	Deck Hood White	
PNPA 47	External Slide 7/8	
PNPA 56	Shock Cord Hook	
PNPA 63	Shackle for slugs	
PNPA 64	Knock on Shackle	
PNPA 65	Knock on Shackle	
	(replaces PNP 65 and 81B)	
PNPA 81A	Snap on shackle small	
PNPA 83	Batten Pocket End 50x5mm	
PNPA 84	Jiffy Reefing Hook	



PNPA 13A




PNPA 13B



PNP 14



PNP 14A




PNP 14B



PNP 14C



PNPA 16



PNP 24B



PNPA 25A



PNPA 27T




PNPA 28T, 28A



PNPA 33



PNPA 34T



PNPA 45



PNPA 47




PNPA 56



PNPA 63



PNPA 64



PNPA 65



PNPA 81A



PNPA 83







PNPA 84



PNP Fittings

Part No	Description	Price each
PNP 85	Batten pocket protector	POA
PNP 88A	Hank piston small (other sizes available)	POA
PNP 102	Sail slide S/S bail 45 x 8.4mm	POA
PNP 103	Sail slide S/S bail 48 x 11mm	POA
PNP 104	Sail slide S/S bail 50 x 12mm	POA
PNP 105	Batten pocket end 40 x 5mm	POA
PNP 106	Shackle screw on 48mm	POA
PNP 107	Screw on Shackle small	POA
PNP 143	30mm Batten Pocket Protector	POA
PNP 148	50mm Large batten pocket end	POA
PNPA 155	Venier adjustable - small	POA
PNP 156	Vernier batten adjuster - small	POA
PNPA 162	Batten Box adjustable Large	POA
PNPA 163	Batten Box non - adjustable Large	POA
PNPA 170	Batten pocket end 8x22mm int.	POA
PNPA 177	Leechcleat Small - 2hole	POA
PNPA 178	Leechcleat Medium - 3hole	POA
PNPA 203	Sail Slide 22mm with S/S insert	POA
PNPA 204	Sail Slide Heavy Duty	POA
PNPA 272	Seldon Slug 11mm (replaces PNPA 140)	POA
PNPA 273	Seldon Slug 14mm (replaces PNPA 141)	POA





PNP Fittings

Part No	Description	Price each
PNPA 276	Batten Pocket Adjuster Heavy Duty	POA
PNPA 279	S/S Knuckle 10mm	POA
PNPA 280	Track Slide 22mm	POA
PNPA 281	Track Slug 10mm - S/S Knuckle Joint	POA
PNPA 282	Track Slug 24mm - S/S Knuckle Joint	POA
PNPA 282A	Track Slug 24mm - S/S Pin	POA
PNPA 285	Extra Large Batten Receptacle	POA
PNPA 286	Bateen Adjuster 10.5x7mm	POA
PNPA 287	Bateen Adjuster 16x7mm	POA
PNPA 288	Bateen Adjuster 16x8mm	POA
PNPA 289	Bateen Adjuster 20x10	POA
PNPA 290	Lubricated Sail Slug 7.5mm	POA
PNPA 291	Lubricated Sail Slug 9.2mm (replaces PNP 202)	POA
PNPA 292	Lubricated Sail Slug 11.5mm (replaces PNP 202)	POA
PNPA 293	Lubricated Sail Slide 16mm	POA
PNPA 294	Lubricated Sail Slide 19mm	POA
PNPA 295	Lubricated Sail Slide 22mm (replaces PNP 205)	POA
PNPA 296	Lubricated Seldon Sail Slide 15mm	POA
PNPA 297	Sail Slug 7.5mm (replaces PNP 201)	POA
PNPA 298	Sail Slug 9mm (replaces PNP 201, 18t & 29t)	POA
PNPA 299	Sail Slug 11.5mm (replaces PNP 17T)	POA
PNPA 302	Stainless Steel slug 8mm	POA
PNPA 303	Stainless Steel slug 10mm	POA
PNPA 343	Large Batten Poc Protector 78x78mm	POA
PNPA 375	Headboard 90mm (replaces PNP 23)	POA
PNPA 376	Headboard 125mm (replaces PNP 58)	POA
PNPA 377	Headboard 150mm	POA





Swela Marine Acrylic

The Swela marine acrylic canvas range is UV light, stain, mildew and rot resistant. Comes with a 5 year limited warranty.

SWELA Acrylic Canvas - 202cm wide. Water Repellent. Available in 17 colours

Acrylic Canvas
202cm – cut length
202cm – full roll



34901 34902 34905 34913



34925 34926 34927 34928



34941 34945 34949 34951 34956 34957 34965 34991 34995

SWELA Marine Coated Acrylic - 202cm wide. 100% Water Proof. Available in 5 colours

Marine Coated Acrylic Canvas
Cut length
202cm - full roll



35913 35925 35949



35957 35995




Sail Bags

Spinnaker Box Sail Bags	Dimensions
Blue and Grey	
#61 Small Spinnaker Box Bag	14"Hx22"Lx15"W
#62 Medium Spinnaker Box Bag	16"Hx26"Lx18"W
#63 Large Spinnaker Box Bag	18"Hx34"Lx 20"W
#64 X Large Spinnaker Box Bag	21"Hx39"Lx21"W
#65 XX Large Spinnaker Box Bag	24"Hx43"Lx22"W
#66 XXX Large Spinnaker Box Bag	26"Hx48'Lx24"W

Round Sail Bags	Dimensions
Blue and Grey	
#30 Extra Small Round	14" x 28"
#31 Small Round	16" x 32"
#32 Medium Round	20" x 40"
#33 Large Round	24" x 44"
#34 Extra Large Round	28" x 52"

Dinghy Sausage Bag	Dimensions
Blue and Grey	
#1 Sausage Bag	1.80 mtrs
#2 Sausage Bag	2.30 mtrs
#3 Sausage Bag	2.65 mtrs
#4 Sausage Bag	3.10 mtrs
#5 Sausage Bag	3.40 mtrs
#6 Sausage Bag	3.80 mtrs

Big Boat Turtle Bags	Dimensions
Blue and Grey	
4 Metre Turtle Bags	4 mtrs
5 Metre Turtle Bags	5 mtrs
6 Metre Turtle Bags	6 mtrs
7 Metre Turtle Bags	7 mtrs



NEW

NEW





Achilles Clear Glass PVC

Product Range	Width	Price Per Metre	Roll Size
Clear PVC			
0.50mm Roll Clear Plain & Non stick	137cm	\$P.O.A	25m
0.75mm Roll Clear Non Stick	137cm	\$P.O.A	25m
0.75mm Roll Clear Plain	137cm	\$P.O.A	25m
0.75 Roll Fire Retardent	137cm	\$P.O.A	25m
1.00mm Roll Clear	183cm	\$P.O.A	15m





Spinnaker Snuffers and Materials

Complete Spinnakers Snuffer
Length in metres
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24



Notes



Bartel Stainless Steel Endless Line Furlers

Furler size	Recommended Sail Size Sqm	
	<i>Screecher</i>	<i>Code Sail</i>
FE 1	20 - 30	20 - 50
FE 2	30 - 50	50 - 70
FE 3	50 - 70	70 - 100
FE 4	70 - 100	100 - 200
FE 5	100 - 150	200 - 400

Complete furlers consist of Drum, Haylard Swivel, Endless Spilced Rope , 2 Triangle Plates
Size 1, 2 and 3 furlers require a Snap Shackle with Lappet.

Furler Size	Furler Part	Price Each
FE1	Furler Drum	POA
FE1	Haylard Swivel	POA
FE1	Endless Rope 16m	POA
FE1	Triangle Plate	POA
FE1	Snap Shackle with Lappet	POA
FE2	Furler Drum	POA
FE2	Haylard Swivel	POA
FE2	Endless Rope 18m	POA
FE2	Triangle Plate	POA
FE2	Snap Shackle with Lappet	POA
FE3	Furler Drum	POA
FE3	Haylard Swivel	POA
FE3	Endless Rope 11m	POA
FE3	Triangle Plate	POA
FE3	Snap Shackle with Lappet	POA
FE4	Furler Drum	POA
FE4	Haylard Swivel	POA
FE4	Endless Rope 12m	POA
FE4	Triangle Plate	POA
FE5	Furler Drum	POA
FE5	Haylard Swivel	POA
FE5	Endless Rope 14m	POA
FE5	Triangle Plate	POA
FE6	Haylard Swivel	POA

Anti Torque Rope - Vectran Core
Anti Torque Rope 8mm
Anti Torque Rope 11mm
Anti Torque Rope 16mm


Furler Drum



Anti Torque Rope



Snap Shackle with Lappet



Triangle Plates



Haylard Swivel



Endless Rope





GRK Ripstop PVC

GRK Ripstop PVC is a reinforced polyester twisted fabric (1000 denier) offering a stable PVC for heavy wearing applications.

Width	Yarn Dtex	Thickness mm	Weight gsm	Warranty	Tear Strength Kgf	Tensile Strength Kgf/5cm	Price
205cm	1100	0.57	680	3 years	55/40	310/285	POA



GRK Aqualon PVC F/R

GRK Aqualon F/R is ideal for lightweight covers, banners and applications where heavy traditional PVC's are not suitable.

Width	Yarn Dtex	Thickness mm	Weight gsm	Warranty	Tear Strength Kgf	Tensile Strength Kgf/5cm	Flame Retardant NFPA701	Price
205cm	1100	0.43	470	3 years	25/18	185/155	Pass	POA






Accessories

Engel Hot Knife and Blades

Hot Knife	
Type R Blade	
Type F2 Blade	POA
Type HG Blade	POA
Type HG-SG Blade	POA
Cutting Foot	POA
Engel Lamp	POA
Engel Trigger Springs	POA
Engel Band Cutter	POA
Engel Band Cutter Blade HSG	POA

Hot Knife and Blades

Gourock Hot Knife & Blade



Engel Hot Knife
The Original



Cutter Box and Blade






Keder Tape

These preformed PVC Coated awning bolt ropes are ideal for joining marquee sections and fixing banners to awning track. These different Keder styles are fully weldable.

Type	Length
7.5mm Single White	100mtr
8.5mm Single White	100mtr
8.5mm Double Black	100mtr
8.5mm Double White	100mtr
11.0mm Double White	100mtr
13.0mm Double White	100mtr
13.0mm Repair White	100mtr
13.0mm Blockout	100mtr



Awl - Yellow Handle



Sailmaker's Palm



Multi Tool Sharpener



Unpicker

Selma Splicing Fids



Barrel Cord Lock



Side Release Buckles



Push Pins



Shock Cord Hooks



Ladder Lock

Camlock Metal





ACS Cutting and Plotting Service

During the past 10 years ACS cutting and plotting service has been a great success and we will continue to deliver to you the highest level of service at very competitive rates.

Please contact us for information.

ACS Cutting Table



ACS Cutting Table





Flag Bunting

Flag Bunting 100% Woven Polyester
50 metres per roll.

2m White PFP - UV treated		
2m UJ Blue		
2m UJ Red		
1m	White PFP	POA
1m	UJ Blue	POA
1m	UJ Red	POA
1m	Royal Blue	POA
1m	Queen Award Blue	POA
1m	Azure Blue	POA
1m	Emerald Green	POA
1m	Bottle Green	POA
1m	Gold	POA
1m	Yellow	POA
1m	Orange	POA
1m	Black	POA
1m	Red Ochre	POA
1m	Navy Blue	POA
1m	Purple	POA
1m	Cardinal Red	POA
1m	Brown	POA
1m	Cream	POA
1m	Grey	POA
1m	Maroon	POA
1m	Signal Red	POA



Flag Header Tape

Sold by the roll only - 100m per roll.

82mm - White
110mm - White
Flag Clips PNP 16
Wooden Flag Toggles

Wooden Flag Toggle



PNP 16





Abshade Shade Mesh – Fire Retardant

3 Mtr Width. 90–95% UV Blockout. 10 Year UV Warranty.

Weight	Flammability Index	Spread Factor	Heat Factor	Bursting Force	Elongation	Tear Strength
325gsm	1	0	1	3700Kpa	Warp 54% Weft 56%	Warp 203N Weft 268N





Gourock Marine Fittings

Tube Ends

14231008 OP12

Tube End 25mm (Black)

Slides inside (25mm x 1.6mm) tube for joining where a pivot is required - also used to fix awning to a selected point.

14231011 OP12A

Tube End 25mm (Black)

Slides inside (25mm x 3mm) tube. Same application as OP12.

14231009 OP13

Tube End 25mm (White)

25mm x 1.6mm

14231010 OP13A

Tube End 25mm (White)

25mm x 3mm

14231005 OP14

Tube End 20mm (Black)

Slides inside (20mm x 1.6mm) tube. Same application as OP12.

14231006 OP15

Tube End 20mm (White)

20mm x 1.6mm



Bow Knuckles

14231036 OP9

Bow Knuckle 25mm (White)

Clamps around 25mm Tube with one hole threaded for tube end (OP12) to be screwed in for a hinge type join. Supplied with screw.

14231035 OP8

Bow Knuckle 25mm (Black)

Same application as OP9.

14231030 OP10

Bow Knuckle 20mm (Black)

Clamps around 20mm Tube with one hole threaded for tube end (OP14) to be screwed in for a hinge type join. Supplied with screw.

14231031 OP11

Bow Knuckle 20mm (White)

Same application as OP10.



Gourock Marine Fittings

Deckmounts - Curved

14231060 OP16

Deckmount (Black)

This is a top mount fitting which will allow tube to move back and forth.

Suits both small and large tube.

* Note bevelled bottom for easier application. Supplied with screw.



14231061 OP17

Deckmount (White)

Same application as OP16.

Deckmounts - Flat

14231062 OP18

Deckmount (Black)

Small version of OP16 with flat bottom. Same application as OP16.



14231063 OP19

Deckmount (White)

Small version of OP17 with flat bottom. Same application as OP16.



Thumbscrew

14231110 OP22

Thumbscrew (White)

To be used where a part of cover frame is continuously loosened or removed. Designed for maximum leverage.

14231120 OP21

Thumbscrew (Black)

Same application as OP22.



Side Mounts

14231080 OP31

Side Mount (Black)

This fitting is to be used where a side mount is required for tubing.

14231081 OP32

Side Mount (White)

Same application as OP31.





Gourock Marine Fittings

Bunji Loops

14231230	OP1
Bunji Loop 150mm (Black)	
14231231	OP2
Bunji Loop 150mm (White)	
14231235	OP3
Bunji Loop 170mm (Black)	
14231236	OP4
Bunji Loop 170mm (White)	
14231240	OP5
Bunji Loop 210mm (Black)	
14231241	OP6
Bunji Loop 210mm (White)	



Bunji Knob

14231150	Op33
Bunji Knob (Black)	
Secures D Buckle (OP25 & 26) and Bunji Loops	
14231151	Op34
Bunji Knob (White)	
Same application as OP33.	




Bunji Fastener

14231260	OP7
Bunji Fastener	
Used to fasten Bunji loop. Has a Nylon backing cap to stop scratching and wearing against underneath fixing.	



Tube Slide End

14231211	OP28
Tube Slide End 20mm (White)	
Where a movable fitting position is required. One of these fittings in each end of any length of tube with a knuckle will allow for slide movement.	
14231210	OP27
Tube Slide End 20mm (Black)	
Same application as OP28.	
14231212	OP29
Tube Slide End 25mm (Black)	
Same application as OP28 - but made to carry a much heavier load.	
14231213	OP30
Tube Slide End 25mm (White)	
Same application as OP28 - but made to carry a much heavier load.	



Small Buckle

14231170	OP23
Buckle - Small (Black)	
Used for securing and adjusting strap.	
14231171	OP24
Buckle - Small (White)	
Same application OP23.	



'D' Buckles

14231180	OP25
'D' Buckle (Black)	
Used for securing strap.	
14231181	OP26
'D' Buckle (White)	
Same application as OP25.	






Gourock Marine Fittings

Horizontal & Vertical Toggles

14231300 OP35

**Single Toggle Horizontal
(White) Flat Back**

Used for securing eyelets in single layer application.



14231302 OP36

**Single Toggle Vertical
(White) Flat Back**


Same application as OP35.



14231305 OP35A

**Single Toggle Horizontal
(White) Rail Mount**

Used to secure on to rails for neat and strong mounting.



14231310 OP36A

**Single Toggle Vertical
(White) Rail Mount**

Same application as OP35A

14231320 OP45

**Double Toggle Horizontal
(White) Flat Back**

Used for securing eyelets in double layer application.

14231321 OP46

**Double Toggle Vertical
(White) Flat Back**

Same application as OP45

14231335 Op45A

**Double Toggle Horizontal
(White) Rail Mount**

Same application as OP35A allowing double layer application.

14231336 OP46A

**Double Toggle Vertical
(White) Rail Mount**

Same application as OP45A.

Aluminium Tube Powder Coated

14235010

20mm x 1.6mm x 5metre Lgth
Black

14235015

20mm x 1.6mm x 5metre Lgth
White

14235030

25mm x 3mm x 5metre Lgth
Black

14235035

25mm x 3mm x 5metre Lgth
White

