

Textile & Awning Catalogue

February 2012



FREEPHONE: 0800 10 27 37

BRIDON

Incorporating **COOKES** **GOUROCK**

| | Page |
|--|-------------|
| Awning & Marine Fabrics | 2 - 3 |
| Awning Systems | 4 - 5 |
| PVC Fabrics | 6 - 8 |
| Shade Cloth | 9 |
| Clear & Translucent PVC Fabrics | 10 - 11 |
| Keder Tape | 12 |
| Shade Sail Hardware | 13 - 15 |
| Buckles & Fastenings | 16 |
| Marine Fittings | 17 - 19 |
| Zips | 20 - 21 |
| Hook & Loop Tape | 22 |
| Rope / Braid / Shock Cord | 23 - 24 |
| Mesh | 25 |
| Sports Fabrics & Nets | 25 |
| Equestrian Canvas & Fittings | 26 - 27 |
| Canvas | 28 |
| Miscellaneous Fabrics | 28 |
| Webbing & UV Binding | 29 - 30 |
| Grommets / Eyelets & Washers / Press Rings | 31 - 32 |
| Threads & Accessories | 33 - 34 |
| Miscellaneous Items | 35 |
| Power Vinylester Battens | 36 - 37 |
| Batten Accessories | 38 |
| Insignia Cloth & Assorted Tapes | 39 - 40 |
| Snuffers & Sail Bags | 41 |
| Bridon Showroom Locations | 42 |

Please note: Colour variations may occur between screen/print images and the actual fabric. For more information please call our FREEPHONE or contact your local Bridon Account Manager.

Awning & Marine Fabrics



Pioneering Hi-Tech awning fabrics, radiant colours, swela® is synonymous with sun protection at the highest level. Swela® fabrics are used for a variety of 'sun protection' purposes - from seat cushions via patio furniture through to awning fabrics from Conservatory shade to marine tarpaulins. It goes without saying that only top quality products can satisfy the demands of our customers.

Swela® Acrylic Plain Canvas is UV light, stain, mildew and rot resistant and come. Comes with a 5 year limited warranty.



Swela® Acrylic Plain Canvas

The swela® Acrylic Plain Canvas collection is UV light, stain, mildew and rot resistant and comes with a 5 year limited warranty. Swela® Acrylic Plain Canvas is available in two widths; 120cm and 202cm, 19 fashion colours. Water resistant.



14034201 - 120cm
14034901 - 202cm



14034202 - 120cm
14034902 - 202cm



14034205 - 120cm
14034905 - 202cm



14034213 - 120cm
14034913 - 202cm



14034225 - 120cm
14034925 - 202cm



14034226 - 120cm
14034926 - 202cm



14034227 - 120cm
14034927 - 202cm



14034228 - 120cm
14034928 - 202cm



14034231 - 120cm
na - 202cm



14034241 - 120cm
14034941 - 202cm



14034249 - 120cm
14034949 - 202cm



14034256 - 120cm
14034956 - 202cm



14034257 - 120cm
14034957 - 202cm



14034265 - 120cm
14034965 - 202cm



14034291 - 120cm
14034991 - 202cm



14034339 - 120cm
na - 202cm



14034345 - 120cm
na - 202cm



na - 120cm
14034951 - 202cm



na - 120cm
14034995 - 202cm



Swela® Plus Coated Acrylic Plain Canvas

Coated to provide 100% water proof protection. Available in 6 colours at 202cm wide.



14035241 - 202cm



14035249 - 202cm



14035251 - 202cm



14035265 - 202cm



14035291 - 202cm



14035295 - 202cm



Swela® Acrylic Striped Canvas

The swela® Acrylic Striped Canvas collection is UV light, stain, mildew and rot resistant and comes with a 5 year limited warranty. Swela® Acrylic Striped Canvas is available in 37 unique colours at a width of 120cm. Water resistant.



14034107 - 120cm



14034112 - 120cm



14034113 - 120cm



14034130 - 120cm



14034172 - 120cm



14034173 - 120cm



14034177 - 120cm



14034179 - 120cm



14034422 - 120cm



14034423 - 120cm



14034440 - 120cm



14034447 - 120cm



14034463 - 120cm



14034504 - 120cm



14034507 - 120cm



14034542 - 120cm



14034543 - 120cm



14034565 - 120cm



14034566 - 120cm



14034568 - 120cm



14034662 - 120cm



14034712 - 120cm



14034758 - 120cm



14034424 - 120cm



14034425 - 120cm



14034426 - 120cm



14034427 - 120cm



14034451 - 120cm



14034453 - 120cm



14034454 - 120cm



14034456 - 120cm



14034510 - 120cm



14034618 - 120cm



14034624 - 120cm



14034655 - 120cm



14034666 - 120cm



14034723 - 120cm

NB: Colour variations may occur between screen/print images and the actual fabric. For more information please call our FREEPHONE or contact your local Bridon Account Manager.

Awning Systems

Franciflex is a leading manufacturer of indoor and outdoor awning systems, sold and installed in over 50 countries around the world. FRANCIAFLEX awnings are a stylish way to enhance any outdoor living space whether around your own home or business environment. All awning systems have a 5 year limited warranty.



Horizon Awning

The most popular in the Franciflex range, HORIZON awnings are a sleek and stylish way to enhance and expand your outdoor living area protecting you from harmful UV rays and heat of the day. HORIZON awnings are fully retractable when not in use and can simply be extended manually or by a motorised unit as an optional extra. Mounts are available for both wall or under pelmet options.

Specifications:

| | |
|---------------------------|--|
| Application | Decks, Patios, Shop Frontages & Restaurants |
| Min Possible Width | 1.5m Projection: 2.2m/2arms 6.5m/6arms 2.0m Projection: 2.7m/2arms 7.9m/6arms 2.5m Projection: 3.2m/2arms 9.6m/6arms 3.0m Projection: 3.6m/2arms 11.1m/6arms 3.5m Projection: 4.2m/2arms 12.5m/6arms |

| | |
|----------------------------------|--|
| Framework | All Aluminum Frames |
| Frame Finish | Powder Coated - Silver Grey. Components & fittings |
| Recommended Fabric Choice | Swela® Acrylic Canvas |



NB: For a comprehensive parts list, please refer to our Awning Installation Catalogue available on line or through your local Bridon Account Manager.



Bannette Awning

A simple design, the BANNETTE awnings allows both vertical coverage or awning style with the addition of drop arms. Ideal for protection of interiors from harmful UV rays and inclement weather conditions.

Specifications:

| | |
|----------------------------------|---|
| Application | Windows, Small Shop Frontages |
| Min Possible Width | Vertical Drop 2.0m Projection: 2.7m/2arms 7.9m/6arms |
| Framework | Aluminum Frames |
| Recommended Fabric Choice | Swela® Acrylic Canvas |



NB: For a comprehensive parts list, please refer to our Awning Installation Catalogue available on line or through your local Bridon Account Manager.

Spring Roller Awning

The SPRING ROLLER awning is ideal for small windows, especially so in windy situations as it adjusts easily to any position with simple rope adjustments.

Specifications:

| | |
|-----------------------------------|---|
| Application | Windows, Small Shop Frontages |
| Min Possible Vertical Drop | Vertical Drop |
| Width | 2.0m Projection: 2.7m/2arms 7.9m/6arms (Arms not supplied) |
| Framework | Aluminum Frames |
| Frame Finish | Powder Coated (Silver Grey) |
| Recommended Fabric Choice | Swela® Acrylic Canvas |



NB: For a comprehensive parts list, please refer to our Awning Installation Catalogue available on line or through your local Account Manager.

Super Awning

The SUPER awning has been designed for Balconies, Terraces and Shops frontages. It can be wall or under-roof pelmet mounted. The pitch (slope) can be adjusted between 5° and 85° (vertical reference).



NB: For a comprehensive parts list, please refer to our Awning Installation Catalogue available on line or through your local Bridon Account Manager.

Mini Super Awning

The MINI SUPER is a mini lateral arm awning system designed and developed for Townhouses, Balconies, Terraces and small Shop Frontages. The pitch (slope) can be adjusted between 5° and 85° (vertical reference). The components have been designed for a maximum width of 4.74m.



NB: For a comprehensive parts list, please refer to our Awning Installation Catalogue available on line or through your local Bridon Account Manager.

PVC Fabrics

Bridon NZ has an wide selection of PVC fabric's suitable for most applications from light weight milking aprons on the farm to durable curtainsiders for commercial trucks. Great brands and respected manufacturing processes give you certainty that the chosen PVC will do the job and last the years.

GRK Aqualon PVC Fire Retardant

GRK Aqualon FR is ideal for lightweight covers, banners and applications where heavy traditional PVC's are not suitable.

| Roll Size | Yarn Dtex | Thickness (mm) | Weight (gsm) | U.V. Warranty | Tear Strength (DIN 53363) | Tensile Strength (DIN 53354) | Flame Retardant (NFPA 701) |
|-------------|--------------|-------------------|-----------------|------------------|------------------------------|---------------------------------|-------------------------------|
| 205cm x 50m | 1000 | 0.43 | 470 | 3 years | 25/18 | 185/155 | Pass |



GRK Ripstop PVC

GRK Ripstop PVC is a reinforced polyester twisted fabric (1000 denier) offering a stable PVC for hard wearing applications. Ideal for truck tarpaulins, boxing bags; anywhere where strength and durability is a must. Flame Retardant treatment (NFPA 701).


| Roll Size | Yarn Dtex | Thickness (mm) | Weight (gsm) | U.V. Warranty | Tear Strength (DIN 53363) | Tensile Strength (DIN 53354) |
|-------------|--------------|-------------------|-----------------|------------------|------------------------------|---------------------------------|
| 205cm x 50m | 1100 | 0.56 | 680 | 3 years | 570/490 | 3285/3130 |



GRK AP1000 PVC Fire Retardant

GRK AP1000 is an all-purpose PVC using reinforced polyester twisted fabric (1000 denier). It offers excellent physical properties such as surface durability and pollution resistance. Other qualities include the prevention of discoloration from UV, resistance to cold cracking, Flame Retardant treatment (NFPA 701) convenient 2.5m width and 3 year U.V. warranty.


| Roll Size | Yarn Dtex | Thickness (mm) | Weight (gsm) | UV Warranty | Tear Strength (DIN 53363) | Tensile Strength (DIN 53354) | Flame Retardant (NFPA 701) |
|-------------|--------------|-------------------|-----------------|-------------|------------------------------|---------------------------------|-------------------------------|
| 250cm x 40m | 1100 | 0.53 | 610 | 3 years | 360/270 N | 2060/2050 | Pass |



Tent & Structural PVC

Made in Germany, Mehler Polymar are used and trusted throughout the world for the construction of large format marquees.

| Roll Size | Weight (gsm) | Temp Resistance | Tear Resistance (N/5cm) | Tensile Resistance (Din 53363) | Flame Retardant (BS 7837) |
|-------------|-------------------|-----------------|----------------------------|-----------------------------------|------------------------------|
| 250cm x 50m | 680gsm *650gsm | -30°C/+70°C | 3000/3000 | 300/300 N | Pass |



NB: Colour variations may occur between screen/print images and the actual fabric. For more information please call our FREEPHONE or contact your local Bridon Account Manager.

Truck Curtainsider

Made in Germany, Mehler Polymar® 8556 is the benchmark in New Zealand for the transport industry and in particular, truck curtainsides. Flame retardant and temperature resistant to extremes, Truck Curtainsider is ideally suited wherever heavy PVC is required.

| Roll Size | Weight (gsm) | Temp Resistance | Tear Resistance (N/5cm) | Tensile Resistance (Din 53363) | Flame Retardant (Din 75200) |
|-------------|--------------|-----------------|-------------------------|--------------------------------|-----------------------------|
| 300cm x 60m | 900 | -40°C/+70°C | 4300/4000 | 500/500 N | <100mm/min |



Shade Cloth

Superior quality architectural shade cloth. Heat set to prevent curling and stretching. Heavyweight construction; 325gsm with a 10 year limited warranty.



Abshade Ultra 95

Available in 11 coordinated colours. Stentored to prevent curling and minimize shrinkage. Roll size 3m x 40m. High quality mono/tap construction for increased strength. 90-95% UV block-out.



Abshade Ultra 95 Fire Retardant



Available in 9 coordinated colours, Ultra FR 95 with retardant additives meets all FR requirements. Flammability index of 1 (range 0-100). Spread of flame factor of 0 (range 0-40). Roll size 3m x 40m. High quality mono/tap construction for increased strength. 90-95% UV block-out.



Shade cloth with and without fire retardant additives



NB: Colour variations may occur between screen/print images and the actual fabric. For more information please call our FREEPHONE or contact your local Bridon Account Manager.

Clear & Translucent PVC Fabrics

A wide selection of standard and Structural Clear PVC fabric's suitable for a variety of applications. All top quality Japanese made.



Clear PVC

Calendared Double Polished Finish. Clear, Flexible, PVC film, UV stabilised. Ideal for Caravan Awning, Tent and Marquee walls and windows, Boat Canopies.

| Description | Thickness | Size | Code |
|-----------------------|-----------|-------------|----------|
| Glass Clear | 0.50mm | 137cm x 25m | 14505857 |
| Glass Clear Non-Stick | 0.50mm | 137cm x 25m | 14505858 |
| Glass Clear | 0.75mm | 137cm x 25m | 14505864 |
| Glass Clear Non-Stick | 0.75mm | 137cm x 25m | 14505865 |
| Glass Clear F/R | 0.75mm | 137cm x 25m | 14505866 |



Extruded Double Polished Finish. Optically Clear, Flexible PVC Film, UV Stabilised. Ideal for Caravan Awning, Tent and Marquee walls and windows, Boat Canopies.

| Description | Thickness | Size | Code |
|-------------|-----------|-------------|----------|
| Glass Clear | 1.00mm | 183cm x 15m | 14505867 |




Translucent Structural PVC

Sundream fabrics are translucent PVC coated polyester fabrics designed for structures that require high light transmission. They have PVDF top surface for dirt resistance and long life. The bottom surface has an acrylic lacquer.

Sundream A incorporates a UV blocker in the coating to prevent transmission of UVA and UVB light.

Sundream Cool also incorporates a heat shield and pearlescent pigment to reduce solar heat gain through the fabric.

| Description | Size | Code |
|---------------|-------------|----------|
| Sundream A | 204cm x 30m | 14191205 |
| Sundream Cool | 204cm x 30m | 14191208 |



| Roll Size | Light Transmission | Tensile Strength (N/50mm) | Elongation @ Break (%) | Tear Strength (N) | Unit Mass (gsm) | Thickness (mm) | FR | Surface Treatment | UV Block |
|-------------|-----------------------|---------------------------|------------------------|-------------------|-----------------|----------------|-----|--|----------|
| 204cm x 30m | A = 58% Cool = 53% | 2400 x 2120 | 20 x 24 | 232 x 243 | 830 | 0.69 | Yes | Top: PVDF Bottom: Acrylic Lacquer | Yes |



Clearweave PVC

Clearweave is suitable for Café Blinds, Tent and Marquee Walls, Factory and Office Partitions, Machine Covers; anywhere where you require light transmission and a stable material.



| | | |
|----------------------------------|----------------------------|-------------------------|
| Description Clearweave | Size 204cm x 30m | Code 14191210 |
|----------------------------------|----------------------------|-------------------------|

| Width | Roll Length | Tensile Strength (N/50mm) | Elongation (%) | Tear Strength (N) | Unit Mass (gsm) | Thickness (mm) | Fungal Resistance | Fire Retardant |
|-------|-------------|------------------------------|-------------------|----------------------|--------------------|-------------------|-------------------|----------------|
| 204cm | 30m | 330 x 325 | 19 x 28 | 210 x 200 | 610 | 0.47 | Treated | Yes |



Translucent Structural PVC

Hikaoka's latest release, Translucent Structural now gives you more options when creating design and flair in overhead awnings.



| | | |
|--|----------------------------|-------------------------|
| Description Translucent Structural | Size 185cm x 30m | Code 14191212 |
|--|----------------------------|-------------------------|

| Roll Size | Translucency | Tensile Strength (N/50mm) | Breaking Elongation | Tear Strength (N) | Unit Mass (gsm) | Thickness (mm) | UV Protection (UV-A) | UV Protection (UV-B) |
|-------------|--------------|------------------------------|---------------------|----------------------|--------------------|-------------------|-------------------------|-------------------------|
| 185cm x 30m | 63% | 1240 x 1115 | 19 x 21 | 324 280 | 950 | 0.9 | 99.4% | 99.9% |

NB: Colour variations may occur between screen/print images and the actual fabric. For more information please call our FREEPHONE or contact your local Bridon Account Manager.

Keder Tape

Keder Tape is used around the world in many applications including banners, awnings, tents and industrial curtains. It's unique construction results in a very strong and flexible track welting that slides effortlessly around the track. It is specifically designed for use outdoor in high tensile demand areas where strength is critical.

Keder Tape - Single

| Width | Colour | Roll Size | Code |
|-------|--------|-----------|----------|
| 3.2mm | Black | 100m | 14503608 |
| 7.5mm | White | 100m | 14503598 |
| 8.5mm | White | 100m | 14503605 |



Keder Tape - Double

| Width | Colour | Roll Size | Code |
|--------|--------|-----------|-----------|
| 7.2mm | Black | 100m | 14503610 |
| 7.5mm | Black | 100m | 14503603B |
| 7.5mm | White | 100m | 14503603 |
| 8.5mm | Black | 100m | 14503607 |
| 8.5mm | White | 100m | 14503600 |
| 11.0mm | White | 150m | 14503601 |
| 13.0mm | White | 150m | 14503602 |



Keder Tape Double - Blockout


| Width | Colour | Roll Size | Code |
|--------|-----------|-----------|-----------|
| 8.0mm | White | 100m | 14503597 |
| 11.0mm | White | 150m | 14503601 |
| 11.0mm | White P/W | 150m | 14503601B |
| 13.0mm | White P/W | 150m | 14503604 |



Repair Keder

Removing worn or damaged Keder normally results in an undersized panel. Keder Repair permits the continued use of this narrow panel. The lost panel width is compensated for by the additional total flap width of the Repair Keder.

| Width | Colour | Roll Size | Code |
|--------|--------|-----------|----------|
| 13.0mm | White | 100m | 14503599 |



Keder Accessories

| Style | Unit | Code |
|-------------|------------|--------------|
| Loops | 10.4001.42 | 100 14503656 |
| Toggle | 10.4060.42 | 100 14503659 |
| Ring Holder | 09.3020.01 | 100 14503664 |
| Ring Holder | 09.4201.01 | 100 14503665 |
| Rings 70mm | 09.1370.01 | 100 14503667 |
| Hook | 04.6116.01 | 100 14503670 |
| Back Plate | 05.0120.42 | 100 14503675 |
| Rivets | 05.1012.01 | 100 14503678 |

Shade Sail Hardware

Eye Bolts

| Description | Thread | Max Size | Thread Length | Eye Length | Code Dia |
|-----------------------|--------|----------|---------------|------------|----------|
| Stainless Steel (316) | M6 | 100 | 74 | 13 | 09568716 |
| | M8 | 130 | 92 | 16 | 09568718 |
| | M10 | 150 | 90 | 22 | 09568720 |



Screw Eye Bolts

| Description | Size | Code |
|-----------------------|------|----------|
| Stainless Steel (316) | 5mm | 09568788 |
| | 6mm | 09568789 |
| | 8mm | 09568790 |
| | 10mm | 09568791 |



Thimbles

| Description | Wire Dia | Overall Length | Code |
|-----------------------|----------|----------------|----------|
| Stainless Steel (316) | 4 | 18 | 02106740 |
| | 5 | 21 | 02106750 |
| | 6 | 25 | 02106760 |
| | 8 | 30 | 02106780 |
| | 10 | 36 | 02106800 |
| Galvanised | 6 | 43 | 02106006 |
| | 8 | 54 | 02106008 |
| | 10 | 64 | 02106009 |



D Rings

| Description | Size | Code |
|-----------------|----------|----------|
| Stainless Steel | 5 x 25mm | 14467200 |
| | 6 x 38mm | 14467210 |
| | 6 x 50mm | 14467220 |
| | 8 x 50mm | 14467222 |



O Rings / O Rings with Bar

| Description | Size | Code | |
|-----------------|-----------|----------|----------|
| | | O Rings | With Bar |
| Stainless Steel | 5 x 19mm | 14467010 | - |
| | 5 x 25mm | 14467020 | - |
| | 5 x 30mm | 14467040 | - |
| | 6 x 25mm | 14467030 | - |
| | 6 x 30mm | 14467050 | 14466930 |
| | 6 x 38mm | 14467060 | 14466960 |
| | 8 x 38mm | 14467080 | 14466962 |
| | 8 x 50mm | 14467090 | 14467095 |
| | 10 x 65mm | 14467100 | 14467110 |
| | 12 x 65mm | - | 14467115 |



Rigging Screws

| Description | Thread Size | Max/Min Length mm | Code |
|-----------------|-------------|-------------------|----------|
| Stainless Steel | M5 | 190/130 | 09568545 |
| | M6 | 210/140 | 09568546 |
| | M8 | 240/165 | 09568548 |
| | M10 | 270/190 | 09568550 |



Turnbuckles

| Description | Thread Size | Max/Min Length | Code |
|-----------------------|-------------|----------------|----------|
| Stainless Steel (316) | M5 | 160/120 | 09568505 |
| | M6 | 220/150 | 09568506 |
| | M8 | 290/200 | 09568508 |
| | M10 | 360/250 | 09568510 |
| Galvanised | M4 | 120/71 | 02203004 |
| | M5 | 170/115 | 02203005 |
| | M6 | 250/165 | 02203006 |
| | M8 | 260/175 | 02203008 |
| | M10 | 300/210 | 02203009 |
| | M12 | 310/220 | 02203013 |
| M16 | 410/300 | 02203016 | |



Swivels

| Description | Size | Overall Length | Code |
|-----------------------|------|----------------|----------|
| Stainless Steel (316) | 6 | 70 | 09568606 |
| | 8 | 90 | 09568608 |
| | 9 | 100 | 09568609 |



Dee Shackles

| Description | Size (mm) | Inside Width | Overall Length | Code |
|-----------------------|-----------|--------------|----------------|----------|
| Stainless Steel (316) | 5 | 10 | 32 | 09568405 |
| | 6 | 12 | 36 | 09568406 |
| | 8 | 16 | 48 | 09568408 |
| | 10 | 20 | 58 | 09568410 |
| Galvanised | 12 | 24 | 70 | 09568412 |
| | 5 | 10 | 19 | 02300005 |
| | 6 | 12 | 24 | 02300006 |
| | 8 | 16 | 32 | 02300008 |
| | 10 | 20 | 40 | 02300009 |
| | 12 | 25 | 48 | 02300013 |



Twist Shackles

| Description | Size | Code |
|-----------------|------|----------|
| Stainless Steel | 5mm | 09568437 |
| | 6mm | 09568438 |
| | 8mm | 09568439 |
| | 10mm | 09568440 |
| | 12mm | 09568441 |



Deck Eye Plates Square

| Description | Size | Dimension | Code |
|-----------------------|------|-----------|----------|
| Stainless Steel (316) | 5 | 35 x 30 | 09568665 |
| | 6 | 40 x 35 | 09568666 |
| | 8 | 50 x 40 | 09568667 |



Deck Eye Plates Diamond

| Description | Size | Dimension | Code |
|-----------------------|------|-----------|----------|
| Stainless Steel (316) | 5 | 45 x 15 | 09568668 |
| | 6 | 60 x 20 | 09568669 |
| | 8 | 80 x 26 | 09568670 |



S Hook

| Description | Size | Code |
|-----------------------|------|----------|
| Stainless Steel (316) | 6mm | 09564300 |
| | 10mm | 09564303 |
| Plastic Coated | 8mm | 09564302 |



Karabiners

| Description | Size | Code |
|-----------------------|------|----------|
| Stainless Steel (316) | 5 | 09569050 |
| | 6 | 09569060 |
| | 8 | 09569080 |
| | 10 | 09569100 |
| S/S with Eye (316) | 5 | 09569150 |
| | 6 | 09569160 |
| | 8 | 09569180 |
| | 10 | 09569200 |



Swivel Pulley Blocks

| Description | Sheave Size | Max Rope mm | Code |
|---------------------|-------------|-------------|----------|
| Single Sheave (316) | 25 | 4-6 | 09568725 |
| | 32 | 8 | 09568732 |
| | 50 | 13 | 09568750 |
| Double Sheave S/S | 25 | 4-6 | 09568726 |
| | 32 | 8 | 09568733 |
| | 50 | 13 | 09568751 |



Wire Rope Grips

| Description | Rope Dia | Code |
|-----------------|----------|----------|
| Stainless Steel | 3 | 09568303 |
| | 4 | 09568304 |
| | 5 | 09568305 |
| | 6 | 09568306 |



Buckles & Fastenings

ITW Side Release Buckles



| Description | Size | Unit | Code |
|-------------|------|------|----------|
| S/R Buckle | 19mm | | 14064807 |
| | 25mm | | 14064907 |
| | 38mm | | 14065107 |
| | 50mm | | 14065207 |



Barrel Locks



| Description | Size | Unit | Code |
|-------------|-------|------|----------|
| | Small | | 14060207 |
| | Large | | 14060107 |



Shock Cord Hooks



| Description | Size | Unit | Code |
|-------------|------|------|----------|
| | 5mm | | 14064307 |
| | 8mm | | 14064407 |



Buckle Snap Hooks & Retainers



| Description | Size | Unit | Code |
|-------------|------|------|----------|
| Retainer | 25mm | | 14065507 |
| Retainer | 38mm | | 14065807 |
| Retainer | 50mm | | 14066007 |
| Hook | | | 14065407 |



Triglides



| Description | Size | Unit | Code |
|-------------|------|------|----------|
| | 19mm | | 14067307 |
| | 38mm | | 14067607 |
| | 50mm | | 14067807 |



Cam Locks



| Description | Size | Unit | Code |
|-------------|------|------|----------|
| | 25mm | | 14060407 |
| | 50mm | | 14060607 |



Snap Shackles



| Description | Size | Unit | Code | |
|-----------------|--------|------|----------|----------|
| | | | Black | White |
| White | Medium | 100 | 14468970 | 14468980 |
| | | | 14468950 | - |
| Black | Large | 100 | 14468950 | - |
| | | | 14462300 | 14462310 |
| D-Screw Shackle | | 100 | 14462300 | 14462310 |



Tube Ends

| Description | Size | Unit | Code |
|--|------|------|----------|
| Black - OP12 Slides inside (25mm x 1.6mm) tube for joining where a pivot is required - also used to fix awning to a selected point. | 25mm | | 14231008 |
| Black - OP12A Slides inside (25mm x 3mm) tube. Same application as OP12. | 25mm | | 14231011 |
| White - OP13 Slides inside (25mm x 1.6mm) tube. Same application as OP12. | 25mm | | 14231009 |
| White - OP13A Slides inside (25mm x 3mm) tube. Same application as OP12. | 25mm | | 14231010 |
| Black - OP14 Slides inside (20mm x 1.6mm) tube. Same application as OP12. | 20mm | | 14231005 |
| White - OP15 Slides inside (20mm x 1.6mm) tube. Same application as OP12. | 20mm | | 14231006 |



Tube Slide End

| Description | Size | Unit | Code Black | Code White |
|--|------|------|------------|------------|
| OP27 & OP28 Where a movable fitting position is required. One of these fittings in each end of any length of tube with a knuckle will allow a slide movement. | 20mm | | 14231210 | 14231211 |
| OP29 & OP30 Same application as OP27 & 28 - but made to carry a much heavier load. | 25mm | | 14231212 | 14231213 |



Bow Knuckles

| Description | Size | Unit | Code Black | Code White |
|--|------|------|------------|------------|
| OP8 & OP9 Clamps around 25mm tube with one hole threaded for tube end (OP12) to be screwed in for a hinge type join. Supplied with screw. | 25mm | | 14231035 | 14231036 |
| OP10 & OP11 Clamps around 20mm tube with one hole threaded for tube end (OP14) to be screwed in for a hinge type join. Supplied with screw. | 20mm | | 14231030 | 14231031 |



Thumbscrew

| Description | Size | Unit | Code Black | Code White |
|---|------|------|------------|------------|
| OP21 & OP22 To be used where a part of cover frame is continuously loosened or removed. Designed for maximum leverage. | | | 14231120 | 14231110 |



Side Mounts

| Description | Size | Unit | Code Black | White |
|---|------|------|---------------|----------|
| OP21 & OP22 To be used where a part of cover frame is continuously loosened or removed. Designed for maximum leverage. | | | 14231120 | 14231110 |



Deck Mounts

| Description | Size | Unit | Code Black | White |
|---|------|------|---------------|----------|
| OP16 & OP17 Curved: This is a top mount fitting which will allow tube to move back and forth. Suits both small & large tube. NB: Beveled bottom for easier application. Supplied with screw. | | | 14231060 | 14231061 |



| Description | Size | Unit | Code Black | White |
|--|------|------|---------------|----------|
| OP18 & OP19 Flat: Small version of OP16 & OP17 with flat bottom. Same application as OP16 & 17. | | | 14231062 | 14231063 |

Horizontal Toggles

| Description | Size | Unit | Code White |
|---|------|------|---------------|
| Single Flat OP35 Used for securing eyelets in single layer applications. | | | 14231300 |
| Single Rail Mount OP35A Used to secure on to rails for neat & strong mounting. | | | 14231305 |
| Double Flat Mount OP45 Used for securing eyelets in double layer applications. | | | 14231320 |
| Double Rail Mount OP45A Used to secure on to rails for neat & strong mounting allowing double layer application. | | | 14231335 |



Vertical Toggles

| Description | Size | Unit | Code White |
|---|------|------|---------------|
| Single Flat OP36 Used for securing eyelets in single layer applications. | | | 14231302 |
| Single Rail Mount OP36A Used to secure on to rails for neat & strong mounting. | | | 14231310 |
| Double Flat Mount OP46 Used for securing eyelets in double layer applications. | | | 14231321 |
| Double Rail Mount OP46A Used to secure on to rails for neat & strong mounting allowing double layer application. | | | 14231336 |



Bunji Loops / Knobs & Fasteners

| Description | Size | Unit | Code Black | White |
|-------------------|-------|------|---------------|----------|
| Loops OP1 & OP2 | 150mm | | 14231230 | 14231231 |
| Loops OP3 & OP4 | 170mm | | 14231235 | 14231236 |
| Loops OP5 & OP6 | 210mm | | 14231240 | 14231241 |
| Knobs OP33 & OP34 | | | 14231150 | 14231151 |
| Fasteners OP7 | | | | 14231260 |



Slides

| Description | Size | Unit | Code | |
|--------------------|---------------|------|----------|--------------|
| Stainless Steel | 22mm internal | 1 | 14468320 | |
| Slug + Slide Nylon | 3/8" | 100 | 14468810 | Black |
| | 1/2" | 100 | 14468610 | White |
| | 5/8" | 100 | 14468210 | |
| | 7/8" | 100 | 14468310 | |



Leech Cleats

| Description | Size | Unit | Code |
|------------------------|---------|------|----------|
| Line Cleat (2 hole) | No1 Sml | 1 | 14464100 |
| Line Cleat (3 hole) | No2 Med | 1 | 14464110 |
| Line Cleat (4 hole) | No3 Lrg | 1 | 14464120 |
| Alloy with B/Plate | CL241 | 1 | 14461955 |
| Alloy with B/Plate Blk | CL241 A | 1 | 14461954 |



CL241


Jib Hanks

| Description | Size | Unit | Code |
|--------------------------|-----------|------|----------|
| Jib Piston/Herm Springer | #0 / 40mm | 50 | 14464900 |
| | #1 / 50mm | 50 | 14464901 |
| | #2 / 60mm | 25 | 14464902 |
| | #3 / 70mm | 25 | 14464903 |
| | #4 / 80mm | 20 | 14464904 |



Headboards

| Description | Size | Gauge | Code |
|----------------|------------------|-------|----------|
| Black Anodised | 4" 102 x 130mm | 1.5mm | 14465050 |
| | 4.5" 114 x 143mm | 1.5mm | 14465051 |
| | 4.5" 114 x 143mm | 2.5mm | 14465052 |
| | 6" 155 x 195mm | 2.5mm | 14465053 |



Clewboards

| Description | Size | Gauge | Code |
|----------------|----------------|-------|----------|
| Black Anodised | Sml 105 x 25mm | 1.5mm | 14464150 |
| | Med 150 x 38mm | 1.5mm | 14464151 |
| | Lrg 200 x 50mm | 2.5mm | 14464152 |



Dumps

| Description | Size | Code |
|--------------------|------|----------|
| Headboard | 23mm | 14465524 |
| Headboard Straight | 23mm | 14465523 |



YKK is a leading manufacturer of zip fastenings throughout the world. Trusted in the market for its quality and reliability, Bridon NZ is pleased to represent YKK as a distributor of zips and sliders throughout New Zealand.



Vislon 5 Sliders & Zips

| Description | Unit | Code | | |
|--------------------------------|-------|----------|--------------|--------------|
| Slider - Grey X54 Plastic | 1 | 14524681 | | |
| Slider - Black Single | 1 | 14524510 | | |
| Slider - Black Double | 1 | 14524511 | | |
| Slider - White Single | 1 | 14524580 | | |
| Slider - White Double | 1 | 14524513 | | |
| Vis 5 Continuous Black Roll | 50m | 14524060 | | |
| Vis 5 Continuous White Roll | 50m | 14524080 | | |
| Vis 5 Wrap - Black | 200m | 14524200 | | |
| Vis 5 O/E Zip with Double Pull | 60cm | 1 | 14524340 Blk | |
| | 80cm | 1 | 14524345 Blk | |
| | 100cm | 1 | 14524327 Blk | |
| | 150cm | 1 | 14524357 Blk | 14524359 Wht |
| | 200cm | 1 | 14524361 Blk | 14524360 Wht |



NB: Popular sizes are carried in stock. Other sizes and colours are available upon request.



Vislon 10 Sliders & Zips

| Description | Unit | Code | | |
|---------------------------------|-------|--------------|--------------|--------------|
| Grey - Single Slider | 1 | 14526303 | | |
| Grey - Double 2TG Slider | 1 | 14526271 | | |
| Slider - Black Single | 1 | 14526201 | | |
| Slider - Black Double | 1 | 14526270 | | |
| Slider - White Single | 1 | 14526202 | | |
| Slider - White Double | 1 | 14526281 | | |
| Slider - N/P Single | 1 | 14526230 | | |
| Slider - N/P Double | 1 | 14526260 | | |
| Vis 10 Continuous Black Roll | 30m | 14525052 | | |
| Vis 10 Continuous White Roll | 30m | 14525053 | | |
| Vis 10 Wrap - Black | 100m | 14525200 | | |
| Vis 10 Wrap - White | 100m | 14525210 | | |
| Vis 10 O/E Zip with Double Pull | 100cm | 1 | 14525603 Blk | 14525604 Wht |
| | 120cm | 1 | 14525621 Blk | 14525610 Wht |
| | 150cm | 1 | 14525682 Blk | 14525680 Wht |
| | 180cm | 1 | 14525751 Blk | 14525750 Wht |
| | 200cm | 1 | 14525782 Blk | 14525780 Wht |
| | 250cm | 1 | 14525787 Blk | 14525785 Wht |
| | 300cm | 1 | 14525822 Blk | 14525810 Wht |
| | 350cm | 1 | 14525842 Blk | 14525840 Wht |
| 400cm | 1 | 14525861 Blk | 14525860 Wht | |



NB: Popular sizes are carried in stock. Other sizes and colours are available upon request.

3 Coil Sliders & Zips

| Description | Unit | Code |
|--------------------------------|------|----------|
| Slider - Black Single | 1 | 14520805 |
| Slider - Beige Autolock | 1 | 14520800 |
| Slider - N/S Pin Lock | 1 | 14520804 |
| 3 Coil Continuous Roll - White | 50m | 14520510 |
| 3 Coil Continuous Roll - Black | 50m | 14520520 |

5 Coil Sliders & Zips

| Description | Unit | Code |
|--------------------------------|------|----------|
| Slider - Grey | 1 | 14521499 |
| Slider - White Single | 1 | 14521602 |
| Slider - Beige X19 | 1 | 14521601 |
| Slider - Black X19 | 1 | 14521603 |
| Slider - Black Metal | 1 | 14521606 |
| Slider - Single | 1 | 14521500 |
| Slider - X37 D N/P | 1 | 14521510 |
| 5 Coil Continuous Roll - White | 30m | 14521070 |
| 5 Coil Continuous Roll - Black | 30m | 14521060 |

9 Coil Sliders & Zips

| Description | Unit | Code |
|--------------------------------|------|----------|
| Slider - N/P Single | 1 | 14522500 |
| Slider - N/P Double | 1 | 14522510 |
| 9 Coil Wrap - White | 100m | 14522200 |
| 9 Coil Wrap - Black | 100m | 14522211 |
| 9 Coil Continuous Roll - White | 30m | 14522075 |
| 9 Coil Continuous Roll - Black | 30m | 14522070 |

Simple Guide to Sliders and Zips

Zips



3 Coil



5 Coil



9 Coil



Vislon 5



Vislon 10

Sliders



Coil
Single Pull



Coil
Double Pull
Nickle Plated X37



Vislon
Single Pull



Vislon
Double Pull



Vislon
Single Pull
Nickle Plated

Hook & Loop Tape

Nylon hook and loop tape fastenings are completely washable. Supplied in 25m rolls, they can be cut to any length in either the sew-in or pressure sensitive versions.

Standard Hook & Loop Tape

| Style | Width | Colour | Roll Size | Code |
|-------|-------|--------|-----------|----------|
| Hook | 20mm | Black | 25m | 14340007 |
| | 25mm | Black | 25m | 14340207 |
| | 38mm | Black | 25m | 14340307 |
| | 50mm | Black | 25m | 14340407 |
| | 20mm | White | 25m | 14340093 |
| | 25mm | White | 25m | 14340293 |
| | 38mm | White | 25m | 14340393 |
| | 50mm | White | 25m | 14340493 |
| Loop | 20mm | Black | 25m | 14340008 |
| | 25mm | Black | 25m | 14340208 |
| | 38mm | Black | 25m | 14340308 |
| | 50mm | Black | 25m | 14340408 |
| | 20mm | White | 25m | 14340095 |
| | 25mm | White | 25m | 14340295 |
| | 38mm | White | 25m | 14340395 |
| | 50mm | White | 25m | 14340495 |



Adhesive Backed Hook & Loop Tape

| Style | Width | Colour | Roll Size | Code |
|-------|-------|--------|-----------|----------|
| Hook | 20mm | Black | 25m | 14340010 |
| | 25mm | Black | 25m | 14340206 |
| | 50mm | Black | 25m | 14340406 |
| | 20mm | White | 25m | 14340094 |
| | 25mm | White | 25m | 14340294 |
| | 50mm | White | 25m | 14340494 |
| Loop | 20mm | Black | 25m | 14340009 |
| | 25mm | Black | 25m | 14340209 |
| | 50mm | Black | 25m | 14340409 |
| | 20mm | White | 25m | 14340096 |
| | 25mm | White | 25m | 14340296 |
| | 50mm | White | 25m | 14340496 |



Rope / Braid / Shock Cord

Bridon is a leader in the manufacture of steel rope throughout the world. Bridon has New Zealand's ONLY wire rope manufacturing plant where rope from 1.5mm to 60mm is fabricated in-house. Bridon also has manufacturing sites located in the UK, Germany, Indonesia, the USA, and China. In addition, we have a wide selection of synthetic rope for all situations

Stainless Steel Rope

| Description | Code |
|------------------|----------|
| 3mm 7 x 19 (316) | 01940303 |
| 4mm 7 x 19 (316) | 01940304 |
| 5mm 7 x 19 (316) | 01940305 |
| 6mm 7 x 19 (316) | 01940306 |
| 2mm 1 x 19 (316) | 01933302 |
| 3mm 1 x 19 (316) | 01933303 |
| 4mm 1 x 19 (316) | 01933304 |



Polyprop (Danline) Rope

Bridon stocks a great range of sizes up to 64mm. Polyprop Rope is available in Black, White.

| Description | Unit Reel/Coil | Break Load (Kgs) | Code | |
|-------------|-------------------|---------------------|----------|----------|
| | | | Reel | Coil |
| 3mm | 250/ - | | 18010034 | |
| 4mm | 500m/ - | 200 | 18034049 | - |
| 5mm | 500m/ - | 420 | 18014059 | - |
| 6mm | 250m/500m | 600 | 18010069 | 18014059 |
| 7mm | 250m/500m | 820 | 18010079 | 18014079 |
| 8mm | 250m/500m | 1100 | 18034089 | 18014089 |
| 10mm | 250m/125m | 1600 | 18010109 | 18034109 |
| 12mm | 250m/125m | 2200 | 18010129 | 18034129 |
| 14mm | - /250m | 3000 | - | 18010149 |
| 16mm | - /250m | 3800 | - | 18010169 |



NB: Codes are for White only. Please refer to your sales representative for colour codes.

Sash Cord

Solid braid construction high tenacity UV polyester, excellent general purpose braid available in solid black and white. NB: Not suitable for high loads, although excellent for sash windows.

| Description | Unit Reel/Coil | Code | |
|-------------|-------------------|----------|----------|
| | | Black | White |
| No 4 | 3.5mm x 150m | 18610045 | 18610048 |
| No 5 | 4.0mm x 150m | 18610055 | 18610058 |
| No 6 | 6.0mm x 150m | 18610065 | 18610068 |
| No 7 | 6.4mm x 150m | 18611075 | 18610078 |
| No 8 | 7.0mm x 150m | 18611085 | 18610088 |
| No 9 | 7.8mm x 150m | 18611095 | 18611098 |
| No 10 | 9.0mm x 100m | 18611105 | 18611108 |



Shock Cord

| Description | Unit | Code Black |
|-------------|------|---------------|
| 2mm | 100m | 18617024 |
| 3mm | 100m | 18617034 |
| 4mm | 100m | 18617044 |
| 5mm | 100m | 18617054 |
| 6mm | 100m | 18617064 |
| 7mm | 100m | 18617074 |
| 8mm | 100m | 18617084 |
| 10mm | 100m | 18617104 |
| 12mm | 100m | 18617126 |



Waxed Braid

| Description | Unit | Code |
|---------------|-------|----------|
| Natural 0.8mm | 1000m | 14461531 |

CJ Series Leech Line

| Description | Size | Unit | Code |
|----------------------|-------|------|----------|
| Polyester Fine Braid | 2mm | 100m | 18553620 |
| | 3mm | 100m | 18553630 |
| | 4mm | 100m | 18553640 |
| | 4.5mm | 100m | 18553645 |
| | 5mm | 100m | 18553650 |



Vectran Premier

| Description | Size | Unit | Code |
|-------------|------|------|----------|
| | 4mm | 100m | 18700994 |
| | 6mm | 100m | 18700996 |
| | 8mm | 100m | 18701008 |
| | 10mm | 100m | 18701010 |



Anti Torque Rope


| Description | Size | Unit | Code |
|--------------|------|------|----------|
| Vectran Core | 8mm | | 18701001 |
| | 11mm | | 18701002 |
| | 13mm | | 18701000 |
| | 16mm | | 18701009 |



Mesh Fabric

Textilene Outdoor Mesh


Textilene is a durable and versatile option for many outdoor applications from furniture to trampoline safety mats. Available in 2 widths; 240cm & 137cm



Insect Mesh

Light weight durable mesh screen suitable for tent applications.

| Description | Size | | Code |
|-------------|------|--------|----------|
| Grey | 4' | 1.22cm | 14504421 |
| Black | 5' | 1.52cm | 14504423 |
| Black | 6' | 1.83cm | 14504426 |
| Black | 7' | 2.14cm | 14504428 |



Sports Fabric & Netting

Quality nets, mesh and PVC products will help make your sport more enjoyable through more durable and better performing equipment.

Tramp Mesh

| Description | Unit | Code |
|-----------------|------|----------|
| Trampoline Mesh | 74" | 14508820 |
| Trampoline Mesh | 165" | 14508822 |

NB: Bridon can also assist with PVC fabric suitable for safety pads and Tramp covers. Refer to Page 6-7.



Netting

Bridon stocks a variety of netting material suitable for a range of sports nets including Tennis nets, Cricket practice nets, Golf practice fairways and Driving nets. Any length possible!

| Description | Unit | Code |
|---------------------------------|------|----------|
| 1 1/2" Hockey / Cricket - Black | | 17322366 |
| 1 1/2" Hockey / Cricket - White | | 17322367 |
| 3" Soccer - White | | 17322390 |

NB: Bridon can also assist with PVC fabric, shade cloth and other textiles required



Tramp Cleats

| Description | Unit | Code |
|---------------------------|------|----------|
| Trampoline Metal Cleats | | 14508810 |
| Trampoline Plastic Cleats | | 14508800 |

NB: Colour variations may occur between screen/print images and the actual fabric. For more information please call our FREEPHONE or contact your local Bridon Account Manager.

Equestrian Canvas & Fittings

An extensive range of Equestrian fabrics suitable for Turnout and Paddock blankets to keep your horse warm through the coldest of weather conditions.

Horse Cover PC Canvas

Polyester/Cotton Ripstop. Water, Rot and Fungus Proofed. Rolls are 104cm wide.


Q12 - 12oz polyester/cotton canvas is ideal for unlined summer blankets

Q15 - 15oz polyester/cotton is ideal for mid season lined or unlined blankets or for winter covers in moderate temperature areas

Q18 - 18oz polyester/cotton is suitable for most winter areas.



14107460
Q12 Blue



14107461
Q12 Navy



14107466
Q12 White




14107472
Q15 Blue



14107471
Q15 Green



14107480
Q18 Blue



14107483
Q18 Econo Navy

Brumby Canvas

Ideal for summer/winter covers. 15oz weight.

Description

White
Blue

Size

104cm x assorted roll lengths
104cm x assorted roll lengths

Code

14080596
14080508



14080508



141080596

Needle Punch NZ Wool Lining

Rich New Zealand wool needled securely to a carrier cloth for extra support. 80% Wool / 20% Polyester. 500gm weight.

Description

White
Grey

Size

140cm x 30m
160cm x 30m

Code

14507597
14507598



Snug Rug Horse Cover Lining

Snug Rug lining is a woven product made up of polypropylene yarn. The composition of polypropylene fibre has been chosen to obtain exceptional thermal insulation qualities, the unique feature of polypropylene include; Quick drying, Non staining, High abrasion resistance and Excellent wicking properties.

Description

Black Watch
Green Tartan
Navy

Size


140cm x 50m
140cm x 50m
140cm x 50m

Code

14507514
14507512
14507508



Black Watch
14507514



Green Tartan
14507512



Navy
14507508

Fittings & Hardware

Limited stock still available from Bridon Equestrian Buckle & Snap range.

| Description | Size | Unit | Code |
|---------------------------|------|------|----------|
| Brass Snap Hooks - 56B | 1" | | 14084825 |
| Brass Swivel Snaps - 225B | 3/4" | | 14085019 |
| Square Eye Swivel Snap NP | 1" | | 14087748 |
| Dee Ring Black | 1" | | 14086052 |
| Brass Buckle - 5705B | 1" | | 14087525 |
| Buckle Black - 121 | 1" | | 14084817 |



English Quality Fittings

| Description | Size | Unit | Code |
|-------------------------|--------|------|----------|
| Polo Eye Snaps N/P | 1" | | 14103020 |
| Acme Buckle Snaps Black | 1" | | 14103030 |
| Hobbel Buckle Black | 1" | | 14103000 |
| | 1 1/8" | | 14103001 |
| | 1 1/4" | | 14103002 |
| | 1 1/2" | | 14103003 |
| English D Ring Black | 25mm | | 14103010 |

Tent Canvas "N"

50% Polyester / 50% Cotton. Waterproof and Rot Proof.

| Description | Colour | Width | Code |
|-------------|----------|-------------|----------|
| 12oz / 510g | Beige | 205cm x 50m | 14113606 |
| | Blue | 205cm x 50m | 14113698 |
| | Antelope | 205cm x 50m | 14113602 |
| | Grey | 205cm x 50m | 14113642 |
| | Olive | 205cm x 50m | 14113658 |
| | Green | 205cm x 50m | 14113635 |
| | White* | 205cm x 50m | 14113696 |

*Not Proofed

Ripstop 510g/12oz PC Canvas

A blend of 65/35 with a tensile warp of 1870N/5cm. Roll width 200cm.

| Description | Colour | Roll Size | Code |
|-------------|------------|-------------|----------|
| | Royal Blue | 200cm x 50m | 14113874 |
| | Brown | 200cm x 50m | 14113876 |









Miscellaneous Fabrics

Bridon can also source other Industrial textile options. Please contact your local Bridon Account Manager who will be able to discuss your requirements with you.

Nylon Tent Tafeta Ripstop

Ideal for clothing garments and Tent Flies: The base cloth is 210 x 70D Nylon, finished clear, 1500mm PU coat, UV treated with a soft handle. 150cm wide x 100m



| | | | |
|---|--|---|---|
|  |  |  |  |
| 14205507 | 14205508 | 14205535 | 14205554 |
|  |  |  |  |
| 14205559 | 14205567 | 14205596 | 14205597 with Silver back |

Cordura

| Description | Roll Size | Colour | Coating | Code |
|-------------|-------------|--------|---------|----------|
| Nylon | 150cm x 50m | Black | 800mmPU | 14201355 |

Kodra

| Description | Roll Size | Colour | Coating | Code |
|-------------|-------------|--------|---------|----------|
| Polyester | 150cm x 50m | Black | 800mmPU | 14202050 |

Nylon Oxford

100% Nylon Oxford, 49x36TC construction, 420/420 denier. White pigment coated on reverse side. A wide range of additional colours available to cut lengths.

| Description | Roll Size | Colour | Code |
|-------------|-------------|--------------|----------|
| | 150cm x 50m | Black | 14203650 |
| | 150cm x 50m | Royal Blue | 14203651 |
| | 150cm x 50m | Grey | 14203654 |
| | 150cm x 50m | Red | 14203656 |
| | 150cm x 50m | White | 14203657 |
| | 150cm x 50m | Fluro Yellow | 14203661 |
| | 150cm x 50m | Banana | 14203662 |
| | 150cm x 50m | Green | 14203665 |
| | | | |


14203651


14203654


14203656


14203661



14203662


14203665

Webbing & UV Binding

Webbing


| Description | Size | Code |
|-------------------------|------|----------|
| Tubular Tape - Red | 25mm | 14303070 |
| Tubular Tape - F/Yellow | 25mm | 14303071 |
| Tubular Tape - Black | 25mm | 14303072 |
| Tubular Tape - White | 25mm | 14303075 |
| Tubular Tape - Blue | 25mm | 14303076 |



NB: More colours are available upon request

Polyester Medium

| Description | Unit | Code |
|----------------------|------|----------|
| GRK 012 Black - 19mm | 50m | 14305055 |
| GRK 012 White - 19mm | 50m | 14305050 |
| GRK 012 Black - 25mm | 50m | 14305056 |
| GRK 012 White - 25mm | 50m | 14305051 |
| GRK 012 Black - 38mm | 50m | 14305057 |
| GRK 012 White - 38mm | 50m | 14305052 |
| GRK 012 Black - 50mm | 50m | 14305058 |
| GRK 012 White - 50mm | 50m | 14305053 |



Polyester - Heavy

| Description | Unit | Code |
|----------------------|------|----------|
| GRK 042 Black - 19mm | 50m | 14305065 |
| GRK 042 White - 19mm | 50m | 14305060 |
| GRK 042 Black - 25mm | 50m | 14305066 |
| GRK 042 White - 25mm | 50m | 14305061 |
| GRK 042 Black - 38mm | 50m | 14305067 |
| GRK 042 White - 38mm | 50m | 14305062 |
| GRK 042 Black - 50mm | 50m | 14305068 |
| GRK 042 White - 50mm | 50m | 14305063 |



UV Binding

Polypropylene construction.

| Description | Unit | Code |
|------------------|------------|----------|
| Black | 25mm x 50m | 14501600 |
| White | 25mm x 50m | 14501601 |
| Silver | 25mm x 50m | 14501602 |
| Mid Grey | 25mm x 50m | 14501603 |
| Navy | 25mm x 50m | 14501604 |
| Royal | 25mm x 50m | 14501605 |
| Green | 25mm x 50m | 14501606 |
| Gold | 25mm x 50m | 14501607 |
| Purple | 25mm x 50m | 14501608 |
| Maroon | 25mm x 50m | 14501609 |
| Red | 25mm x 50m | 14501610 |
| Forest Green | 25mm x 50m | 14501611 |
| Brown | 25mm x 50m | 14501612 |
| Sand | 25mm x 50m | 14501613 |
| Grey/Blk Tweed | 25mm x 50m | 14501614 |
| Royal/Blk Tweed | 25mm x 50m | 14501615 |
| Forest/Blk Tweed | 25mm x 50m | 14501616 |
| Khaki | 25mm x 50m | 14501617 |
| Silver/Navy | 25mm x 50m | 14501618 |
| Silver/Black | 25mm x 50m | 14501619 |



NB: Colour variations may occur between screen/print images and the actual fabric. For more information please call our FREEPHONE or contact your local Bridon Account Manager.

Centerfold Binding

Polyester construction. Centerfold binding has a natural fold that works well on corners.

| Description | Unit | Code |
|--------------|------------|-----------|
| Cherry | 20mm x 50m | 14015023A |
| J/Brown | 20mm x 50m | 14015024A |
| Green | 20mm x 50m | 14015035A |
| White | 20mm x 50m | 14015501 |
| Burgundy | 20mm x 50m | 14015527 |
| Brown | 20mm x 50m | 14015570 |
| Fawn | 20mm x 50m | 14015572 |
| Dark Grey | 20mm x 50m | 14015579 |
| Black | 20mm x 50m | 14015580 |
| Silver | 20mm x 50m | 14015756 |
| Terracotta | 20mm x 50m | 14015850 |
| Forest Green | 20mm x 50m | 14015890 |
| Beige | 20mm x 50m | 14015892 |
| Navy | 20mm x 50m | 14015919 |



Grommets/Eyelets & Washers/Press Rings

Grommets

Stimpson Nickle Plated with Spur Toothed Washers.

| Description | Size | Unit | Code |
|-------------|--------|------|----------|
| Size 000 | | 200 | 14464400 |
| Size 00 | | 200 | 14464590 |
| Size 0 | 9/32" | 144 | 14464600 |
| Size 1 | 13/32" | 144 | 14464610 |
| Size 2 | | 144 | 14464620 |
| Size 3 | 15/32" | 144 | 14464630 |
| Size 4 | 9/16" | 144 | 14464640 |
| Size 5 | 5/8" | 144 | 14464650 |
| Size 6 | 3/4" | 144 | 14464660 |
| Size 7 | 29/32" | 144 | 14464670 |



Eyelets & Washers

Nickle Plated: SP = Flat / TG = Tooth

| Description | Size | Unit | Code |
|----------------------|------|------|----------|
| Eyelet & Spur Washer | SP1 | | 14120401 |
| Eyelet & Spur Washer | SP3 | | 14120403 |
| Eyelet & Spur Washer | SP4 | | 14120404 |
| Eyelet & Spur Washer | SP6 | | 14120406 |
| Eyelet & Spur Washer | SP7 | | 14120407 |
| Eyelet & Spur Washer | SP9 | | 14120409 |
| Eyelet & Washer | TG3 | | 14120503 |
| Eyelet & Washer | TG4 | | 14120504 |
| Eyelet & Washer | TG6 | | 14120506 |
| Eyelet & Washer | TG7 | | 14120507 |
| Eyelet & Washer | TG9 | | 14120508 |

Endeavour Press Rings

| Size (Inside Hole) | Punch Size | Dia Press Force | Patch Weight | Unit | Code |
|--------------------|------------|-----------------|--------------|------|----------|
| 10mm | 11mm | by hand | 25-35oz | 100 | 14462410 |
| 12mm | 14mm | 3-5 ton/hand | 25-35oz | 100 | 14462412 |
| 14mm | 16mm | 3-5 ton/hand | 25-40oz | 50 | 14462414 |
| 17mm | 19mm | 7 ton | 35-60oz | 50 | 14462417 |
| 20mm | 22mm | 11-13 ton | 40-70oz | 50 | 14462420 |
| 25mm | 29mm | 15 ton | 50-70oz | 50 | 14462425 |
| 30mm | 32mm | 20 ton | 70-90oz | 50 | 14462430 |
| 35mm | 38mm | 22 ton | 70-90oz | 25 | 14462435 |
| 45mm | 48mm | 25 ton | 80-100oz | 25 | 14462445 |
| 55mm | | | | 25 | 14462455 |



Tools

| Description | Size | Code |
|------------------------|------|----------|
| Metric Arch Hole Punch | 5mm | 14503682 |
| | 7mm | 14503684 |
| | 10mm | 14503587 |
| | 12mm | 14503689 |
| | 14mm | 14503691 |
| | 16mm | 14503693 |
| | 18mm | 14503695 |
| | 25mm | 14503702 |
| | 40mm | 14503717 |



Press Rings

Alloy A Rings: Alloy ring with nylon washer and stainless liner.

| Description | Size | Code |
|-----------------------|------|----------|
| Liner Only (Straight) | 23mm | 14465523 |
| Alloy Ring Only | 23mm | 14466623 |
| Washer | 23mm | 14467523 |
| Liner Only | 32mm | 14465530 |
| Alloy Ring Only | 32mm | 14466632 |
| Washer | 32mm | 14467532 |
| Liner Only | 38mm | 14465539 |
| Alloy Ring Only | 38mm | 14466638 |
| Washer | 38mm | 14467538 |

NB: One Set consists of 1 x Liner, 2 x Alloy Rings, 2 x Nylon Washers

GNZ Press Rings: Nickel plated brass rings with stainless steel liner.

| Description | Size | Code |
|-------------|------|----------|
| Liner Only | 23mm | 14465524 |
| Ring Only | 23mm | 14466624 |
| Liner Only | 32mm | 14465530 |
| Ring Only | 32mm | 14466630 |
| Liner Only | 38mm | 14465539 |
| Ring Only | 38mm | 14466639 |
| Liner Only | 44mm | 14465580 |
| Ring Only | 44mm | 14466680 |

NB: One Set consists of 1 x Liner, 2 x Rings

Threads & Accessories

A wide range of threads for awning, marine and general applications.

Threads

| Description | Colour | Code |
|-------------|----------------|-----------|
| V-92 | Blue | 14471020 |
| | Yellow | 14471023 |
| | White | 14471027 |
| | Beige | 14471030 |
| | Terracotta | 14471033 |
| | Black | 14471035 |
| | Navy | 14471036 |
| | Grey | 14471038 |
| | Burgundy | 14471040 |
| | Off-White | 14471041 |
| | Red | 14471042 |
| | Green | 14471091 |
| | T-35 | White |
| Black | | 14473006 |
| T-45 | White | 14473025 |
| | Em Green | 14473026 |
| | Scarlett | 14473027 |
| | Royal Blue | 14473028 |
| | Black | 14473029 |
| | Black Solution | 14473029S |
| | Navy | 14473030 |
| T-70 | Dark Silver | 14473031 |
| | Black | 14473050 |
| | Rubytone | 14473051 |
| | White | 14473052 |
| | Smoke | 14473053 |
| | Royal Blue | 1447 3054 |
| | Scarlett | 14473055 |
| | Walnut | 14473056 |
| | Pebble | 14473057 |
| | Forsythia | 14473058 |
| T-90 | Purple | 14473069 |
| | Scarlett | 14473070 |
| | Dark Silver | 14473071 |
| | Black | 14473072 |
| | Black Solution | 14473072S |
| | Royal Blue | 14473073 |
| | Pebble Beige | 14473074 |
| | Sable | 14473075 |
| | Cadet Grey | 14473076 |
| | Taupe | 14473077 |
| | Walnut | 14473078 |
| | Forsythia | 14473079 |
| | Navy | 14473080 |
| | White | 14473081 |
| | Wedgewood | 14473082 |
| Mist | 14473083 | |
| Smoke | 14473084 | |



NB: Colour variations may occur between screen/print images and the actual fabric. For more information please call our FREEPHONE or contact your local Bridon Account Manager.

| Description | Colour | Code | |
|--------------|----------------|----------------|-----------|
| T-135 | Sable | 14473099 | |
| | Forsythia | 14473100 | |
| | White | 14473101 | |
| | Black | 14473102 | |
| | Black Solution | 14473102S | |
| | Chinese Rust | 14473103 | |
| | Royal | 14473104 | |
| | Carafe Green | 14473105 | |
| | Navy | 14473106 | |
| | Scarlett | 14473107 | |
| | Dark Silver | 14473108 | |
| | Walnut | 14473109 | |
| | Pebble Beige | 14473110 | |
| | Smoke | 14473111 | |
| | Wedgewood | 14473112 | |
| | Alfalpa | 14473113 | |
| | Mist | 14473114 | |
| | Pacific Blue | 14473115 | |
| | Silver | 14473116 | |
| | Blue | 14473117 | |
| | Natural | 14473118 | |
| | Ruby | 14473119 | |
| | Red | 14473149 | |
| | T-210 | Royal | 14473150 |
| | | White | 14473151 |
| | | Black | 14473152 |
| | | Black Solution | 14473152S |
| | | Forsythia | 14473154 |
| | T-350 | Dark Silver | 14473155 |
| | | Alfalpa | 14473156 |
| | | Walnut | 14473157 |
| | | Beige | 14473158 |
| White Anefil | | 14473180 | |
| Black Anefil | | 14473181 | |



Chinagraph Pencils

| Description | Colour | Code |
|-------------|--------|----------|
| Staedtler | White | 14503586 |
| | Yellow | 14503587 |
| | Black | 14503588 |



Seam Rippers

| Description | Colour | Code |
|-----------------|--------|----------|
| Std Seam Ripper | Red | 14467850 |



Sewing Needles

| Description | Unit | Code |
|-----------------|--------------|----------|
| W.M. Smith Hand | Size 14 (25) | 14466114 |
| | Size 15 (25) | 14466115 |



Splicing Fids

| Description | Unit | Code |
|---------------------|------|----------|
| Selma Set: 5 - 20mm | 1 | 18608722 |
| Selma Set: 5 - 28mm | 1 | 18608723 |



Miscellaneous Items

Mildew Remover

| Description | Size | Code |
|-------------|-------|----------|
| Gourock W/R | 2 ltr | 14295800 |

Water Proofing

| Description | Size | Code |
|-------------|--------|----------|
| Gourock W/P | 1 ltr | 14296001 |
| Gourock W/P | 2 ltr | 14296002 |
| Gourock W/P | 5 ltr | 14296005 |
| Gourock W/P | 20 ltr | 14296020 |



Adhesives

| Description | Size | Code |
|--------------------|--------|----------|
| Bostik 999 Unigrip | 1 ltr | 14501178 |
| Bostik 999 Unigrip | 4 ltr | 14501179 |
| Bostik Clearbond | 4 ltr | 14501184 |
| Bostik #4 Solvent | 1 ltr | 14501186 |
| Bostik #4 Solvent | 4 ltr | 14501187 |
| Ados Clear F92 | 20 ltr | 14501170 |
| Ados F55 | 20 Ltr | 14501169 |
| Ados F2 Tube | 75ml | 14500980 |



Rope Cutter

| Description | Code |
|-----------------------------|----------|
| Hot Wire Cutter | 14504400 |
| Hot Wire Cutter Spare Blade | 14504401 |



Hot Knife and Accessories

| Description | Code |
|------------------------------|----------|
| Engel Hot Knife & Blade | 14230200 |
| Gourock Hot Knife & Blade | 14230180 |
| Engel Hot Knife Blade Type R | 14230210 |
| GNZ Hot Knife Blade Type R10 | 14230190 |



NB: Other blade options and accessories are available upon request

Sil-Glide 500ml

| Description | Size | Code |
|----------------|-------|----------|
| Silicone Spray | 500ml | 14468100 |



Power Vinylester Battens

Leech Taper Battens

All leech battens are supplied with both an inner and outer batten end. Shrink wrapped for a smooth finish.

| Description | Size | Code |
|-----------------|--------|----------|
| IS 0 Inshore 0 | 600mm | 14440020 |
| | 750mm | 14440021 |
| | 930mm | 14440022 |
| | 1080mm | 14440023 |
| | 1230mm | 14440024 |
| IS 1 Inshore 1 | 600mm | 14440030 |
| | 750mm | 14440031 |
| | 930mm | 14440032 |
| | 1080mm | 14440033 |
| | 1230mm | 14440034 |
| IS 2 Inshore 2 | 750mm | 14440040 |
| | 930mm | 14440041 |
| | 1080mm | 14440042 |
| | 1230mm | 14440043 |
| | 1380mm | 14440044 |
| IS 3 Inshore 3 | 1510mm | 14440045 |
| | 750mm | 14440050 |
| | 930mm | 14440051 |
| | 1080mm | 14440052 |
| | 1230mm | 14440053 |
| OS 1 Offshore 1 | 1380mm | 14440054 |
| | 1510mm | 14440055 |
| | 750mm | 14440060 |
| | 930mm | 14440061 |
| | 1080mm | 14440062 |
| OS 2 Offshore 2 | 1230mm | 14440063 |
| | 1380mm | 14440064 |
| | 1510mm | 14440065 |
| | 1810mm | 14440066 |
| | 1080mm | 14440080 |
| OS 3 Offshore 3 | 1230mm | 14440081 |
| | 1380mm | 14440082 |
| | 1510mm | 14440083 |
| | 1810mm | 14440084 |
| | 1230mm | 14440100 |
| OS 4 Offshore 4 | 1380mm | 14440101 |
| | 1510mm | 14440102 |
| | 1810mm | 14440103 |
| | 2110mm | 14440104 |
| | 2400mm | 14440105 |
| OS 4 Offshore 4 | 1230mm | 14440120 |
| | 1510mm | 14440121 |
| | 1810mm | 14440122 |
| | 2110mm | 14440123 |
| | 2400mm | 14440124 |



Full Taper Battens

| Description | Size | Code |
|-----------------|----------|----------|
| IS 0 Inshore 0 | 600mm | 14440025 |
| | 900mm | 14440026 |
| | 1100mm | 14440027 |
| IS 1 Inshore 1 | 600mm | 14440036 |
| | 900mm | 14440037 |
| | 1100mm | 14440038 |
| IS 2 Inshore 2 | 900mm | 14440047 |
| | 1200mm | 14440048 |
| | 1500mm | 14440049 |
| IS 3 Inshore 3 | 1200mm | 14440056 |
| | 1500mm | 14440057 |
| | 1800mm | 14440058 |
| OS 1 Offshore 1 | 1200mm | 14440067 |
| | 1500mm | 14440068 |
| | 1800mm | 14440069 |
| | 2100mm | 14440070 |
| OS 2 Offshore 2 | 1200mm | 14440085 |
| | 1500mm | 14440086 |
| | 1800mm | 14440087 |
| | 2100mm | 14440088 |
| | 2400mm | 14440089 |
| | 2700mm | 14440090 |
| OS 3 Offshore 3 | 1200mm | 14440106 |
| | 1500mm | 14440107 |
| | 1800mm | 14440108 |
| | 2100mm | 14440109 |
| | 2400mm | 14440110 |
| | 2700mm | 14440111 |
| | 3000mm | 14440112 |
| | 3300mm | 14440113 |
| OS 4 Offshore 4 | 1200mm | 14440125 |
| | 1500mm | 14440126 |
| | 1800mm | 14440127 |
| | 2100mm | 14440128 |
| | 2400mm | 14440129 |
| | 2700mm | 14440130 |
| | 3000mm | 14440131 |
| | 3300mm | 14440132 |
| 3600mm | 14440133 | |

Leech & Full Taper Comparison



| Batten Conversion Table | | |
|-------------------------|----------------|-------------|
| DP Power (new style) | HP (old style) | Blue Streak |
| IS 0 | HP 1 | HEX 1 |
| IS 1 | HP 2 | WR1 |
| IS 2 | HP 3 | WR2 |
| IS 3 | HP 4 | WR3 |
| OS 1 | HP 4.5 | OR1 |
| OS 2 | HP 5 | OR2 |
| OS 3 | HP 5.2 | OR3 |
| OS 4 | HP 5.7 | OR4 |
| OS 5 | HP 5.9 | OR5 |
| OS 6* | HP 9 | Amazon |

*OS 6 - 40% Stiffer than Blue Streak Amazon

Untapered 20m Coils

| Description | Size | Code |
|-------------|-----------|----------|
| IS 0 | 10 x 3mm | 14440000 |
| IS 1 | 15 x 3mm | 14440001 |
| IS 2 | 15 x 4mm | 14440002 |
| IS 3 | 15 x 6mm | 14440003 |
| OS 1 | 20 x 6mm | 14440010 |
| OS 2 | 20 x 8mm | 14440012 |
| OS 3 | 20 x 9mm | 14440013 |
| OS 4 | 20 x 10mm | 14440014 |
| OS 5 | 20 x 12mm | 14440015 |
| OS 6 | 25 x 14mm | 14440016 |



Batten Accessories

Batten Ends

| Description | Size | Code |
|----------------|------|----------|
| IS 0 | | 14440150 |
| IS 1 Blank End | | 14440151 |
| IS 1 | | 14440152 |
| IS 2 | | 14440153 |
| IS 3 | | 14440154 |
| OS 1 | | 14440155 |
| OS 2 | | 14440156 |
| OS 3 | | 14440157 |
| OS 4 | | 14440158 |
| OS 5 | | 14440159 |
| OS 6 | | 14440160 |



Batten Protectors & Pockets

| Description | Size | Code |
|------------------------------|-------------|----------|
| Batten End Protector Nu-Form | Small | 14448500 |
| | Large | 14448550 |
| Batten End Protector | Large | 14448490 |
| | Extra Large | 14448495 |
| Batten Box M10 | Small | 14448575 |
| | Medium | 14448580 |
| | Medium | 14448585 |



| | | |
|------------|--------------|----------|
| Batten Cam | 120mm x 45mm | 14468580 |
|------------|--------------|----------|



Rod Battens


All Rod Battens use "polyurethane" resin. Standard length is 6m but other lengths available on request.

| Description | Size | Code |
|-------------|-----------|----------|
| Rod Batten | 3mm x 6m | 14446503 |
| | 4mm x 6m | 14446504 |
| | 5mm x 6m | 14446505 |
| | 6mm x 6m | 14446506 |
| | 8mm x 6m | 14446508 |
| | 10mm x 6m | 14446510 |
| | 12mm x 6m | 14446512 |
| | 14mm x 6m | 14446514 |
| | 16mm x 6m | 14446516 |
| | 19mm x 6m | 14446519 |
| | 22mm x 6m | 14446794 |
| | 25mm x 6m | 14446798 |
| | 32mm x 6m | 14446832 |
| | 38mm x 6m | 14446838 |

Insignia Cloth and Assorted Tapes

Insignia Cloth

Adhesive Insignia Cloth at 137cm wide x 45.72m rolls



Slit Insignia Cloth

Adhesive Insignia Cloth - 45.72m rolls. White, Black and Blue in Hi-Tack Premium Adhesive quality.

| Description | Size | Code |
|-------------------------------|------|----------------|
| White, Black, Grey, Red, Blue | 1" | Specify Colour |
| White, Black, Grey, Blue | 2" | Specify Colour |
| White, Black, Grey, Blue | 3" | Specify Colour |
| White, Black, Grey, Blue | 4" | Specify Colour |



Dacron, Hydranet & Spinnaker Tapes

| Description | Size | Code |
|--------------------|------|----------|
| Dacron White 4oz | 1" | 14428010 |
| | 1.5" | 14428018 |
| | 2" | 14428020 |
| | 2.5" | 14428028 |
| | 3" | 14428030 |
| Dacron White 5.6oz | 2" | 14428420 |
| | 2.5" | 14428428 |
| | 3" | 14428430 |
| | 4" | 14428440 |
| | 5" | 14428450 |
| | 6" | 14428452 |
| Dacron White 7.0oz | 2.5" | 14428625 |
| | 3" | 14428630 |
| | 4" | 14428640 |
| | 5" | 14428650 |
| | 6" | 14428660 |
| | 8" | 14428680 |
| Dacron White 8oz | 2.5" | 14428825 |
| | 3" | 14428830 |
| | 4" | 14428840 |
| | 5" | 14428850 |
| | 6" | 14428860 |
| | 8" | 14428880 |
| | 10" | 14428900 |

NB: Colour variations may occur between screen/print images and the actual fabric. For more information please call our FREEPHONE or contact your local Bridon Account Manager.

Spinnaker Tapes

Dacron brand. Available in Red, Green and Blue.

Description
Dacron 4oz

Size
1"
2"
3"

Code
Specify Colour
Specify Colour
Specify Colour



Seamstick

Description
Kikusui Seamstick

Size
6mm
9mm
12mm
15mm
18mm
24mm

Unit
50m
50m
50m
50m
50m
50m

Code
14468036
14468040
14468042
14468045
14468048
14468049

Captain Seamstick

10mm
12mm
15mm
20mm
24mm
48mm

50m
50m
50m
50m
50m
50m

14468010
14468012
14468015
14468020
14468019
14468021

Dacron Seamstick - White
Superstick Seamstick - no sew

12mm
6mm
12mm

50m
33m
33m

14468035
14468051
14468052



Headfoil Tape

Description
RF316

Size
Single

Unit
Roll

Code
14428998

60532 Lufftape - Twin

#5

Roll

14429002

70316 Lufftape - Twin

#6

Roll

14429000

70732 Lufftape - Twin

#7

Roll

14429003




Snuffers / Sail Bags

Spinnaker Box Sail Bags

Grey Spinnaker Box Sail Bags

| Description | Size | Unit | Code |
|---------------|--------------------|------|----------|
| #61 Small | 14"H x 22"L x 15"W | 1 | 14425656 |
| #62 Medium | 16"H x 26"L x 18"W | 1 | 14425657 |
| #63 Large | 18"H x 34"L x 20"W | 1 | 14425658 |
| #64 X Large | 21"H x 39"L x 21"W | 1 | 14425659 |
| #65 XX Large | 24"H x 43"L x 22"W | 1 | 14425660 |
| #66 XXX Large | 26"H x 48"L x 24"W | 1 | 14425661 |



Big Boat Turtle Bags

Grey Big Boat Turtle Bags.

| Description | Size | Unit | Code |
|-------------|------|------|----------|
| | 4m | 1 | 14425694 |
| | 5m | 1 | 14425695 |
| | 6m | 1 | 14425696 |
| | 7m | 1 | 14425697 |



Snuffers

| Description | Size (Length) | Unit | Code |
|-------------|---------------|------|----------|
| | 10m | 1 | 14425630 |
| | 11m | 1 | 14425631 |
| | 12m | 1 | 14425632 |
| | 13m | 1 | 14425633 |
| | 14m | 1 | 14425634 |
| | 15m | 1 | 14425635 |
| | 16m | 1 | 14425636 |
| | 17m | 1 | 14425637 |
| | 18m | 1 | 14425638 |
| | 19m | 1 | 14425639 |
| | 20m | 1 | 14425640 |
| | 21m | 1 | 14425641 |
| | 22m | 1 | 14425642 |
| | 23m | 1 | 14425643 |
| | 24m | 1 | 14425644 |



NB: Colour variations may occur between screen/print images and the actual fabric. For more information please call our FREEPHONE or contact your local Bridon Account Manager.

Bridon Locations:

Bridon has an extensive network of showroom locations right across New Zealand. You'll see a wide range of Bridon products including Safety & Lifting equipment, Fishing and Marine items, Engineering Hardware, Chains, Stainless & Synthetic Rope, to name just a few.

Call in to see us or phone and ask for a Bridon Account Manager to visit you.

Whangarei

Lower Port Road
Whangarei
Ph: 09 438 8964

Auckland

77B Patiki Road
Avondale, Auckland
Ph: 09 820 8600

Rotorua

Marguerita Street
Rotorua
Ph: 07 348 3042

Napier

182A Hyderabad Road
Ahuriri, Napier
Ph: 06 834 0690

Nelson

8 Akersten Street
Port Nelson, Nelson
Ph: 03 548 0719

Christchurch

124C Waterloo Road
Hornby, Christchurch
Ph: 03 349 3002

Ashburton

120 Moore Street
Ashburton
Ph: 03 308 9778

Dunedin

2A Orari Street
Dunedin
Ph: 03 455 3966

Auckland

6 - 10 Greenmount Drive
East Tamaki, Auckland
Ph: 09 274 4299 or 0508 BRIDON (274366)

Tauranga

1 Marsh Street
Tauranga
Ph: 07 578 0605

New Plymouth

75 Corbett Road
Bell Block, New Plymouth
Ph: 06 755 0413

Wellington

2 Udy Street
Petone, Wellington
Ph: 04 568 4384

Nelson

45 Vickerman Street
Port Nelson, Nelson
Ph: 03 539 1034

Christchurch

14 Lock Crescent
Hillsborough, Christchurch
Ph: 03 384 4069

Timaru

14 Bank Street
Timaru
Ph: 03 684 7494

Invercargill

137 Clyde Street
Invercargill
Ph: 03 218 4682

Support Office & Factory

6 - 10 Greenmount Drive
East Tamaki, Auckland
P.O. Box 14 422, Panmure
Phone: 09 274 4299
Fax: 09 274 7982
email: customerservices@bridon.co.nz

www.bridon.co.nz

www.bridon.co.nz

BRIDON

Incorporating **COOKES** **GOUROCK**