



MILLER REVOLUTION 2 POINT HARNESSSES

An innovative design that combines several unique components along with many product features. Versatile frontal and rear oversized fall attachment points.

- ErgoArmor back shield protects from snap hook and lifeline injury.
- Knitted mesh membrane for optimal air circulation and comfort
- Ergonomic PivotLink allows greater hip rotation and mobility
- Web finials provide quick webbing adjustment and organisation
- Hybrid, with strong and durable DuraFlex/DualTech webbing



Product Code	Part No.	Description
09425006	M1020054	Medium Miller Revolution 2 Point Harness
09425007	M1020055	Large Miller Revolution 2 Point Harness

ROOF WORKER HARNESS

Cross over design, DuraFlex harness featuring fall arrest attachment points both front and back.

- Frontal and Rear Dee ring for working in fall arrest
- Label pack with lanyard parking ring stores harness documents
- Over the head design with adjustable leg straps
- DuraFlex webbing provides optimum worker comfort
- Suited to roofing, tower and ladder work, general construction, maintenance and window cleaning applications



Product Code	Part No.	Description
09425005	STRETCH GUARD	Two Point Fall Arrest Harness

DURAFLEX GLOVE AND BARRIER HARNESS

DuraFlex full body harness specifically designed without metal hardware above the waist

- 500mm extension of rear fall arrest soft-eye-dee
- Frontal fall arrest attachment and confined space shoulder loops
- Adjustable leg and chest straps
- DuraFlex webbing provides optimum worker comfort
- Label pack with lanyard parking ring stores harness documents
- Complies with AS/NZS 1891.1 2007



Product Code	Part No.	Description
09482135	M1020008	Glove and Barrier Harness

CONSTRUCTION HARNESS

Vest style design, Polyester webbing fall arrest harness for working at height.

- Frontal fall arrest attachment point and rear dorsal dee
- Easy to don with fully adjustable chest, shoulder and leg straps
- Label pack stores all relevant harness documents
- Lanyard ring on label pack for temporary lanyard parking
- Brightly coloured webbing to increase worker visibility



Product Code	Part No.	Description
09482115	M1020063	Fall Arrest Harness



LINE WORKER HARNESS

Specifically designed for line and pole top workers, this harness offers many features to suit these applications.

- Frontal fall arrest dee and extended dorsal dee
- Work positioning side dees for work with pole straps
- Fully adjustable waist, shoulder, leg and buttock straps
- Label pack with lanyard parking ring stores harness documents
- Lumbar and buttock padding offering greater comfort
- Suited to line workers, pole top workers, tower and ladder work

Product Code	Part No.	Description
09482118	ELITE.2.	Fall Arrest, Work Positioning Harness



WELDER'S HARNESS

Designed for use in applications where hot sparks or molten materials may come in contact with the harness.

- 100% Kevlar® webbing enhances strength and provides resistance to high temperatures
- Frontal and rear fall arrest attachment points
- Adjustable leg straps
- Label pack with lanyard parking ring stores harness documents
- Suited to welding, grinding and harsh work environments

Product Code	Part No.	Description
09482119	M1020066	KMAX.1 Two Point Fall Arrest Harness



CONTRACTOR VALUE PLUS HARNESS

Vest style design, polyester webbing fall arrest harness with integrated lanyard for working at height.

- Frontal fall arrest attachment point and rear dorsal dee
- Integrated 2 meter shock absorbing lanyard
- Easy to don with fully adjustable chest, shoulder and leg straps
- Label pack with lanyard parking ring stores harness documents
- Suited to work in Elevated Work Platforms (EWP), construction and general maintenance

Product Code	Part No.	Description
09482120	M1020064	Harness with Integrated Lanyard



CONTRACTOR VALUE TWO POINT HARNESS

The Contractor two point fall arrest harness provides workers with rear and frontal fall arrest attachment points.

- Minimal restriction to the wearers movements
- Lightweight cross over design, easy to fit and adjust
- Rear and frontal fall arrest attachment points
- Label pack with lanyard parking ring stores harness documents.
- Suited to applications in: building, construction, ladder work, roof work, EWP and general maintenance work

Product Code	Part No.	Description
09425004	M1020002	Contractor Two Point Harness



CONTRACTOR ROOF WORKER KIT

- The kit contains the M1020002 two point fall arrest harness, 15m anchorage line with type I fall arrest device, and a webbing tie-off adaptor all packed into a convenient carry bag
- Suited to roof working applications
- Easy to carry from site to site



Product Code	Part No.	Description
09482121	M1070004	RoofWorkers Kit

WEBBING LANYARDS

- 35mm polyester webbing with integral compact energy absorber.
- 19mm double acting hooks each end.
- Single or double leg lanyards available
- Various lengths available



Product Code	Part No.	Description
09482122	LI1WEC2.0	Webbing Lanyard 2mtr 19mm Hooks

STRETCHSTOP LANYARD (TWIN VERSION)

A unique stretchable lanyard design that minimises the length of the lanyard preventing tripping or snagging.

Elastic inner core contains the unextended length of webbing.

Outer load bearing tubular polyester webbing.

Reliable visual inspection if a fall has been taken.



Product Code	Part No.	Description
09480293	STRETCHSTOP	2mtr with 19mm Hooks each end

ADJUSTABLE LANYARD

Levigator adjustable lanyards offer unique versatility whilst working at height.

- Patented design with printed increments every 200mm
- Easy to adjust and see the working length of the lanyard
- Brightly coloured webbing which increases worker visibility
- A choice of lanyard terminations enables greater worker flexibility



Product Code	Part No.	Description
09480296	M1010004	2mtr with 19mm Hooks at each end
09480295	M1010005	2mtr with 19mm Hook and 55mm Hook



TURBOLITE

TurboLite is a small and light fully compliant retractable Fall Arrest Block designed to be used as a personal fall limiter arresting free fall within millimetres

- Its retractable technology prevents trip hazards while its built in swivel also prevents lifeline twisting
- The TurboLite is extremely compact and light weight
- It provides 2m working capacity lifeline which attaches directly to the harness back D-ring for greater mobility and versatility
- The high strength, impact resistant nylon housing and engineered HiTech Polyester/Vectran Webbing provide more resistance to abrasion, increasing durability
- The TurboLite eliminates the need for different fall protection equipment to address fall clearance and reduces risk as workers will always be using the proper equipment when fall clearance changes
- The TurboLite can also be used in horizontal and foot level applications where an overhead anchorage point is unavailable
- Conforms to standard EN 360, accepted under clause 1.6 of AS/NZS 1891.3
- Applications: Construction, Utilities, Warehousing

Product Code	Part No.	Description
09480113	MFL12/2M-AUS	Turbolite 2mtr Twistlock Karabinier Scaffold Hook
09480112	1017900	Turbolite 2mtr Twistlock Karabinier/Aluminium Snap Hook



SCORPION FALL ARRESTOR

A lightweight compact type 2 fall arrestor with retractable webbing, limits free falls and offers greater mobility.

- Small and lightweight design.
- Visual load indicating hook shows when unit has taken a fall.
- 2.7m of webbing working capacity.
- Corrosion resistant internal components.
- Stainless steel and aluminium body with high impact polymer cover.
- Quick activating breaking system limiting free fall to a minimum

Product Code	Part No.	Description
09480111	1008587	Scorpion Fall Arrestor with Swivel Hook



FALCON FALL ARRESTOR

Nearly indestructible, it withstands the harsh rigors of the toughest applications.

- Unique side pay out design reduces entry guide and cable wear
- "No annual factory re-certification" lowers costs and downtime
- Load indicating hook identifies unit removal from service
- Lightweight smooth composite housing increases durability
- Galvanised wire, webbing or fully stainless steel unit options

Product Code	Part No.	Description
09480108	1011742	10m Galvanised Wire
09480109	1011746	15m Galvanised Wire
09480110	1011750	20m Galvanised Wire



BLACK RHINO FALL ARRESTOR

The Black Rhino fall arrestor is designed with stainless steel wire to endure harsh working environments.

- Quick activating high strength stainless steel braking system
- Integral load indicator shows if a fall has been taken
- Integral internal shock absorber limits fall forces to under 4kN
- Corrosion resistant stainless steel and aluminium components
- Also available with triple acting karabiner terminations (TAK)

Product Code	Part No.	Description
09482128	CFL2.7M-7/AUS	Black Rhino with Swivel Hook

ANCHORAGE LINE WITH TYPE I FALL ARRESTOR

Anchorage lines provide flexible access for workers.

- 15m anchorage line with 19mm opening hook at one end
- Type I fall arrestor moves easily up and down the line, and locks onto the rope in the event of a fall
- Applications: roof work, ladder work, or as a temporary back-up line when used with winches & rescue systems



Product Code	Part No.	Description
09482125	M1070008	15mtr Line with Type I Fall Arrestor

ROOF ANCHOR

The roof anchor is a single person anchorage tee for adapting to roof edges.

- Right angled anchor plate clamps securely onto a roof edge
- Curved arm suited to corrugated roofs
- Screws down for additional stability
- Single person anchorage point



Product Code	Part No.	Description
09482131	RA	Roof Anchor

WEBBING TEMPORARY STATIC LINE

Lightweight 20m webbing temporary static line kit with ratchet tensioner for 2 person use.

- 20m webbing with ratchet tensioner
- Easy to install and remove from site
- Complete with storage bag sewn to line
- For use of up to 2 people
- To suit applications in construction, maintenance and roof work



Product Code	Part No.	Description
09444024	3501418	Webbing Temporary Static Line

RESCUE MASTER KITS

A comprehensive kit specifically designed for assisting in rescue from difficult to access areas.

- Raise and lower pulleys with a 3:1 ratio
- Available in 2 versions, complete kit and light kit
- Light kit contains pulleys, rope and tie-off
- Complete kit also contains rope grip and chest strap for rescue
- Can also be used with Miller tripod or DuraHoist davit system
- Kit contains high quality 11mm kernmantle rope



Product Code	Part No.	Description
0945000	RM-45MT	Rescue Master Complete Kit
0945000L	RM-45M-L	Rescue Master Light Kit

RELIEF STEP™ SAFETY DEVICE

Designed for the temporary prevention of suspension trauma, the Relief Step is adaptable to any full body harness.

- Compact pack encompassing a webbing strap and foot loop
- Attaches easily to ANY full body harness
- Assists in allowing circulation until rescue occurs
- Pull tab to deploy, and adjust length of foot loop
- Two Relief Steps are recommended (one for each leg) for added comfort, balance and better circulation in both legs



Product Code	Part No.	Description
09444003	9099X/12	Relief Step Pack 12



SABS – INDUSTRIAL LIGHT WEIGHT HARNESS

Complies with EN361 with 10 year life from date of manufacturer; Universal size from Med to XL. Smaller and Larger sizes are available on request.

⚠️ HEIGHT SAFETY EQUIPMENT SHOULD BE INSPECTED BEFORE EACH USE.

Product Code	With Rear Dorsal	With Chest Strap	With Side Dees	With Waist Belt	With Carry PVC Bag
09465221	Yes	Yes	No	No	Yes
09465222	Yes	Front Dees	No	No	Yes
09465223	Yes	Yes	Yes	Yes	Yes



SABS – SINGLE LANYARD C/W SHOCK ABSORBER AND 55MM HOOK

Complies with EN355. 10 year life from date of manufacturer

⚠️ HEIGHT SAFETY EQUIPMENT SHOULD BE INSPECTED BEFORE EACH USE.

Product Code	Webbing Size	Length (m)
09440040S	35mm	1.8m



SABS – TWIN LEG LANYARD C/W SHOCK ABSORBER AND 55MM HOOK

Complies with EN355. 10 year life from date of manufacturer:

⚠️ HEIGHT SAFETY EQUIPMENT SHOULD BE INSPECTED BEFORE EACH USE.

Product Code	Webbing Size	Length (m)
09440015S	35mm	1.8m

YOKE ALUMINIUM SNAP HOOK

- Forged Aluminium Alloy SAE 7075
- Meets ANSI Z-359.1 CSA Z-259.1. EN362



Product Code	100% Proof Loaded (lbs)	100% Proof Loaded (kN)	Minimum Breaking Load (lbs)	Minimum Breaking Load (kN)	Net Weight (g)
09564720	3,600	16	5,000	22.2	167g

YOKE ALUMINIUM SNAP HOOK (BLUE)

- Forged Aluminium Alloy, SAE 7075
- Meets ANSI Z-359.1 CSA Z-259.1. EN362
- Blue Coloured



Product Code	100% Proof Loaded (lbs)	100% Proof Loaded (kN)	Minimum Breaking Load (lbs)	Minimum Breaking Load (kN)	Net Weight (g)
09564725	3,600	16	5,000	22.2	189g

YOKE ALUMINIUM CARABINER SELF-LOCKING GATE

- Aluminium Alloy, SAE 7075
- Meets ANSI Z-359.1 CSA Z-259.1 or EN 362.



Product Code	100% Proof Loaded (lbs)	100% Proof Loaded (kN)	Minimum Breaking Load (lbs)	Minimum Breaking Load (kN)	Net Weight (g)
09445501	3,600	16	5,000	22.2	98g

YOKE STEEL CARABINER SELF-LOCKING GATE

- Formed Alloy Steel, Heat Treated
- Meets ANSI Z-359.1 CSA Z-259.1 or EN 362
- Yellow Zinc



Product Code	100% Proof Loaded (lbs)	100% Proof Loaded (kN)	Minimum Breaking Load (lbs)	Minimum Breaking Load (kN)	Net Weight (g)
09445595?????	3,600	16	5,000	22.2	830g